

## Standard Wellness

105 Commerce Drive  
Gibsonburg, OH 43431  
info@standardwellness.com

Lic. #MMCPP00009

## Sample:

METRC ID: 1A4070100001069000017914

METRC Batch: 1A4070100001069000017771

CC ID: 2103NCTL0604.3740


Strain: Multi-strain

Sample Received: 03/23/2021; Report Created: 03/26/2021



M00000101103: Edb Oral Admin-9.5-9-11 Gib Gummies Blackberry

Ingestible, Soft Chew

	<p><b>2.41 mg/g</b></p> <p>Total THC</p>	<p><b>2.32 mg/g</b></p> <p>Total CBD</p>
---	--	--

## Cannabinoids by HPLC, NCTL SOP-104; Date Tested:

Analyte	LOQ	Mass	Mass
	mg/g	%	mg/g
THCa	0.011	ND	ND
delta-9 THC	0.011	0.241	2.41
delta-8 THC	0.011	ND	ND
THCV	0.011	0.00157	0.0157
CBDa	0.011	ND	ND
CBD	0.011	0.232	2.32
CBDV	0.011	ND	ND
CBN	0.011	0.00259	0.0259
CBGa	0.011	ND	ND
CBG	0.011	0.00414	0.0414
CBC	0.011	0.00571	0.0571

## Summary

<p><b>Pass</b></p> <p>Pesticides</p>	<p><b>Complete</b></p> <p>Residual Solvents</p>	<p><b>Pass</b></p> <p>Microbials</p>	<p><b>Not Tested</b></p> <p>NT</p> <p>Moisture</p>
<p><b>Not Tested</b></p> <p>NT</p> <p>Water Activity</p>	<p><b>Pass</b></p> <p>Heavy Metals</p>	<p><b>Pass</b></p> <p>Foreign Matter</p>	<p><b>Pass</b></p> <p>Mycotoxins</p>

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
Lic# MMCPL00010



*Nicholas Szabo*  
Nicholas Szabo  
Laboratory Manager

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as they were received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only.

## Standard Wellness

105 Commerce Drive  
Gibsonburg, OH 43431  
info@standardwellness.com

Lic. #MMCPP00009

## Sample:

METRC ID: 1A4070100001069000017914

METRC Batch: 1A4070100001069000017771

CC ID: 2103NCTL0604.3740

Strain: Multi-strain

Sample Received: 03/23/2021; Report Created: 03/26/2021



M00000101103: Edb Oral Admin-9.5-9-11 Gib Gummies Blackberry

Ingestible, Soft Chew

## Pesticides by LCMSMS, NCTL SOP-102 **Pass**

Test Type	LOQ	OAC-3796 Limit*	Mass	Status
	PPB	PPB	PPB	
Abamectin	50.0	50.0	ND	Pass
Aldicarb	10.0	10.0	ND	Pass
Bifenazate	20.0	20.0	ND	Pass
Cyfluthrin	100.0	100.0	ND	Pass
Daminozide	50.0	50.0	ND	Pass
Diazinon	5.0	5.0	ND	Pass
Dichlorvos	50.0	50.0	ND	Pass
Dimethoate	10.0	10.0	ND	Pass
Etoxazole	10.0	10.0	ND	Pass
Fonicamid	30.0	30.0	ND	Pass
Fludioxonil	10.0	10.0	ND	Pass
Imidacloprid	10.0	10.0	ND	Pass
Myclobutanil	50.0	50.0	ND	Pass
Paclotrazol	10.0	10.0	ND	Pass
Piperonyl Butoxide	10.0	100.0	ND	Pass
Pyrethrin 1	28.1	50.0	ND	Pass
Spinosyn A	5.0	10.0	ND	Pass
Spinosyn D	5.0	10.0	ND	Pass
Spirotetramat	20.0	20.0	ND	Pass
Thiamethoxam	10.0	20.0	ND	Pass
Trifloxystrobin	10.0	10.0	ND	Pass

Date Tested: 03/25/2021;

## Mycotoxins by LCMSMS, NCTL SOP-102 **Pass**

Test Type	LOQ	OAC-3796 Limit*	Mass	Status
	PPB	PPB	PPB	
Aflatoxins	5.0	20.0	ND	Pass
B1	5.0	20.0	ND	Pass
B2	5.0	20.0	ND	Pass
G1	5.0	20.0	ND	Pass
G2	5.0	20.0	ND	Pass
Ochratoxin A	20.0	20.0	ND	Pass

Date Tested: 03/25/2021

## Microbials by 3M Petrifilm, NCTL SOP-101 **Pass**

Test Type	OAC-3796 Limit*	Mass	Status
	CFU/g	CFU/g	
Aerobic Bacteria	100000	ND	Pass
Bile-Tolerant Gram-Negative Bacteria	1000	ND	Pass
Coliforms	1000	ND	Pass
E. Coli	1	ND	Pass
Salmonella	1	ND	Pass
Yeast & Mold	10000	ND	Pass

Date Tested: 03/24/2021;

## Heavy Metals by ICPMS, NCTL SOP-103 **Pass**

Test Type	LOQ	OAC-3796 Limit*	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.10	0.42	ND	Pass
Cadmium	0.10	0.27	ND	Pass
Lead	0.40	0.87	ND	Pass
Mercury	0.10	0.87	ND	Pass

Date Tested: 03/25/2021;

## Residual Solvents by GCMS, NCTL SOP-105 **Complete**

Test Type	LOQ	OAC-3796 Limit*	Mass	Status
	PPM	PPM	PPM	
Acetone	43.00		ND	Tested
Benzene	0.75		ND	Tested
Butane	43.00		ND	Tested
Ethanol	43.00		ND	Tested
Heptane	43.00		ND	Tested
Isopropanol	43.00		ND	Tested
n-Hexane	43.00		ND	Tested
Pentane	43.00		ND	Tested
Propane	43.00		ND	Tested
Toluene	43.00		ND	Tested
Xylenes	43.00		ND	Tested

Date Tested: 03/24/2021;