



### Standard Wellness Missouri

44243 Highway V Vandalia, MO 63382 alydrickson@standardwellness.com (440) 785-3847 Lic. #CUL000037 Strain: Runtz Batch#: ; Batch Size: 6720 g Sample Received: 02/21/2022; Report Created: 02/24/2022; Expires: 03/26/2022 Lab ID: 22-0287 Sampling Size: 31.915 g; Process Procedure:

Sample: 2202GCA0059.0277

**Runtz Shake** 

Plant, Other, Indoor Harvest Process Lot: ; METRC Batch: ; METRC Sample: 1A40C0100002E7D000000140



Alexandre and a	Safety			
	Pass Pesticides	<b>Pass</b> Microbials	<b>Pass</b> Mycotoxins	Pass 0.51 aw Water Activity
	Not Tested Solvents	<b>Pass</b> Metals	Pass Foreign Matter	Pass 11.9% Moisture

#### Cannabinoids

Equipment Used: HPLC SOP #: TM-120 Date Tested: 02/23/2022

	<b>14.36%</b> Total THC		<b>ND</b> Total CBD			<b>16.67%</b> Total Cannabinoids		
A	nalyte		CAS#	LOQ	Mass	Mass		
				%	%	mg/g		
Т	HCa	23	978-85-0	0.08	15.63	156.3		
Δ	9-THC	1	972-08-3	0.08	0.65	6.5		
Δ	8-THC	5	957-75-5	0.08	ND	ND		
Т	HCV	312	262-37-0	0.08	ND	ND		
С	BDa	12	244-58-2	0.08	ND	ND		
С	BD	013	956-29-1	0.08	ND	ND		
С	BDV	242	274-48-4	0.08	ND	ND		
С	BN	!	521-35-7	0.08	ND	ND		
С	BGa	25	555-57-1	0.08	0.28	2.8		
С	BG	250	654-31-3	0.08	0.12	1.2		
С	BC	200	675-51-8	0.08	ND	ND		
Ţ	otal				16.67	166.7		
_								

#### Terpenes

Equipment Used: GCMS SOP #: TM-122 Date Tested: 02/21/2022

Date lested: 02/21/2022					
Analyte	CAS#	LOQ	Mass	Mass	
		%	%	mg/g	
Limonene	5989-27-5	0.002	0.279	2.79	
β-Caryophyllene	87-44-5	0.002	0.174	1.74	
β-Myrcene	123-35-3	0.002	0.061	0.61	
α-Humulene	6753-98-6	0.002	0.059	0.59	
α-Bisabolol	23089-26-1	0.002	0.042	0.42	
β-Pinene	18172-67-3	0.002	0.036	0.36	
Linalool	78-70-6	0.002	0.028	0.28	
Ocimene	13877-91-3	0.002	0.019	0.19	
α-Pinene	80-56-8	0.002	0.017	0.17	
Camphene	79-92-5	0.002	0.003	0.03	
3-Carene	13466-78-9	0.002	< 0.002	<0.02	
α-Terpinene	99-86-5	0.002	< 0.002	<0.02	
Caryophyllene Oxide	1139-30-6	0.002	< 0.002	<0.02	
Eucalyptol	470-82-6	0.002	< 0.002	<0.02	
y-Terpinene	99-85-4	0.002	< 0.002	<0.02	
Geraniol	106-24-1	0.002	< 0.002	<0.02	
Guaiol	489-86-1	0.002	< 0.002	<0.02	
Isopulegol	89-79-2	0.002	< 0.002	<0.02	
Nerolidol	7212-44-4	0.004	< 0.004	<0.04	
Terpinolene	586-62-9	0.002	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
Total			0.718	7.18	

#### Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD



GCA Labs, All Rights Reserved 1185 Scenic Dr, SUITE 135 Herculaneum, MO (636) 224-2882 www.gcalabs.com Lic# TES000002

Approved By: Joseph A. Crifasi M.A., M.T. (ASCP), D-ABFT Lab Director

٦

Notes:

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



www.confidentcannabis.com Powered by Confident Cannabis

GCA Labs is an A2LA accredited laboratory to ISO/IEC 17025:2017 (Specific tests listed on A2LA Certificate # 5611.01) and operates in compliance with Missouri state laws (19 CSR 30-95.070). GCA Labs will use a Non-Binary Decision Rule to account for measurement uncertainty of the results and what is reported as PASS/FAIL for a certificate of analysis (COA). The results relate only to the samples tested and sampled. GCA Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. All client communications and testing results are treated as confidential. This Certificate shall not be reproduced without prior written approval of GCA, INC. Page 1 of 5





### Standard Wellness Missouri

44243 Highway V Vandalia, MO 63382 alydrickson@standardwellness.com (440) 785-3847 Lic. #CUL000037

Strain: Runtz Batch#:; Batch Size: 6720 g Sample Received: 02/21/2022; Report Created: 02/24/2022; Expires: 03/26/2022 Lab ID: 22-0287 Sampling Size: 31.915 g; Process Procedure:

### **Runtz Shake**

Plant. Other. Indoor Harvest Process Lot: ; METRC Batch: ; METRC Sample: 1A40C0100002E7D000000140

#### **Mycotoxins**

Mycotoxins Equipment Used: LCMS SOP #: TM-119 Date Tested: 02/23/2022					Pass
Analyte	CAS #	LOQ	Limit	Mass	Status
		PPB	PPB	PPB	
B1		1.00	20.00	ND	Pass
B2		1.00	20.00	ND	Pass
G1		1.00	20.00	ND	Pass
G2		1.00	20.00	ND	Pass
Ochratoxin A	303-47-9	1.00	20.00	ND	Pass
Total Aflatoxins		1.00	20.00	ND	Pass

Microbials		Pass
Analyte	Results	Status
Aspergillus spp.	ND	Pass
E. Coli	ND	Pass
Salmonella	ND	Pass
Yeast & Mold	ND	Pass


Sample: 2202GCA0059.0277

Includes Aspergillus flavus, Aspergillus fumigatus, Aspergillus niger, Aspergillus terreus.

Heavy Metals					Pass						
Equipment Used: ICPMS SOP #: TM-115 Date Tested: 02/22/2022						Residual	Solvents			Not T	ested
Analyte	CAS#	LOQ	Limit	Mass	Status	SOP #: Date Tested:					
		PPM	PPM	PPM			CAS#	100	Limit	Mass	Chatura
Arsenic	7440-38-2	0.05	0.20	<loq< th=""><th>Pass</th><th>Analyte</th><th>CAS#</th><th>LOQ</th><th>LIMIL</th><th>Mass</th><th>Status</th></loq<>	Pass	Analyte	CAS#	LOQ	LIMIL	Mass	Status
Cadmium	7440-43-9	0.05	0.20	ND	Pass						
Chromium	7439-97-6	0.05	0.60	0.13	Pass						
Lead	7439-92-1	0.05	0.50	<loq< th=""><th>Pass</th><th></th><th></th><th></th><th></th><th></th><th></th></loq<>	Pass						
Mercury	7440-47-3	0.05	0.10	ND	Pass						



GCA Labs, All Rights Reserved 1185 Scenic Dr, SUITE 135 Herculaneum, MO (636) 224-2882 www.gcalabs.com Lic# TES000002



**Confident Cannabis** All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Powered by Confident Cannabis

GCA Labs is an A2LA accredited laboratory to ISO/IEC 17025:2017 (Specific tests listed on A2LA Certificate # 5611.01) and operates in compliance with Missouri state laws (19 CSR 30-95.070). GCA Labs will use a Non-Binary Decision Rule to account for measurement uncertainty of the results and what is reported as PASS/FAIL for a certificate of analysis (COA). The results relate only to the samples tested and sampled. GCA Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. All client communications and testing results are treated as confidential. This Certificate shall not be reproduced without prior written approval of GCA, INC. Page 2 of 5



Lab Director





#### Standard Wellness Missouri

44243 Highway V Vandalia, MO 63382 alydrickson@standardwellness.com (440) 785-3847 Lic. #CUL000037 Strain: Runtz Batch#: ; Batch Size: 6720 g Sample Received: 02/21/2022; Report Created: 02/24/2022; Expires: 03/26/2022 Lab ID: 22-0287 Sampling Size: 31.915 g; Process Procedure:

Sample: 2202GCA0059.0277

Runtz Shake

Plant, Other, Indoor Harvest Process Lot: ; METRC Batch: ; METRC Sample: 1A40C0100002E7D000000140

#### Pesticides

Equipment Used: GCMS, LCMS SOP #: TM-119 Date Tested: 02/23/2022

Analyte	CAS #	LOQ	Limit	Mass	Status
		PPM	PPM	PPM	
Abamectin	71751-41-2	0.070	0.500	ND	Pass
Acephate	30560-19-1	0.020	0.400	ND	Pass
Acequinocyl	57960-19-7	0.040	2.000	ND	Pass
Acetamiprid	135410-20-7	0.020	0.200	ND	Pass
Aldicarb	116-06-3	0.040	0.400	ND	Pass
Azoxystrobin	131860-33-8	0.030	0.200	ND	Pass
Bifenazate	149877-41-8	0.030	0.200	ND	Pass
Bifenthrin	82657-04-3	0.020	0.200	ND	Pass
Boscalid	188425-85-6	0.050	0.400	ND	Pass
Carbaryl	63-25-2	0.040	0.200	ND	Pass
Carbofuran	1563-66-2	0.040	0.200	ND	Pass
Chlorantraniliprole	500008-45-7	0.030	0.200	ND	Pass
Chlorfenapyr	122453-73-0	0.040	1.000	ND	Pass
Chlormeguat chloride	7003-89-6	0.020	0.200	ND	Pass
Chlorpyrifos	2921-88-2	0.030	0.200	ND	Pass
Clofentezine	74115-24-5	0.050	0.200	ND	Pass
Cyfluthrin	68359-37-5	0.120	1.000	ND	Pass
Cypermethrin	52315-07-8	0.040	1.000	ND	Pass
Daminozide	1596-84-5	0.060	1.000	ND	Pass
Diazinon	333-41-5	0.030	0.200	ND	Pass
Dichlorvos	62-73-7	0.030	1.000	ND	Pass
Dimethoate	60-51-5	0.020	0.200	ND	Pass
Ethoprophos	13194-48-4	0.030	0.200	ND	Pass
Etofenprox	80844-07-1	0.020	0.400	ND	Pass
Etoxazole	153233-91-1	0.020	0.200	ND	Pass
Fenoxycarb	72490-01-8	0.020	0.200	ND	Pass
Fenpyroximate	134098-61-6	0.030	0.400	ND	Pass
Fipronil	120068-37-3	0.030	0.400	ND	Pass
Flonicamid	158062-67-0	0.020	1.000	ND	Pass
Fludioxonil	131341-86-1	0.030	0.400	ND	Pass
Hexythiazox	78587-05-0	0.030	1.000	ND	Pass
Imazalil	35554-44-0	0.070	0.200	ND	Pass
Imidacloprid	138261-41-3	0.040	0.400	ND	Pass
Kresoxim Methyl	143390-89-0	0.030	0.400	ND	Pass
Malathion	121-75-5	0.020	0.200	ND	Pass

Note: Permethrins cumulative residue of cis- and trans-permethrin isomers; Pyrethrins cumulative residues of pyrethrin 1, cinerin 1 and josmolin 1. Jasmolin 1 Cas #4466-14-2; Cinerin 1 Cas #25402-06-6; Pyrethrin 1 Cas #121-21-1



GCA Labs, All Rights Reserved 1185 Scenic Dr, SUITE 135 Herculaneum, MO (636) 224-2882 www.gcalabs.com Lic# TES000002

Approved By: Joseph A. Crifasi M.A., M.T. (ASCP), D-ABFT Lab Director Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



www.confidentcannabis.com Powered by Confident Cannabis

GCA Labs is an A2LA accredited laboratory to ISO/IEC 17025:2017 (Specific tests listed on A2LA Certificate # 5611.01) and operates in compliance with Missouri state laws (19 CSR 30-95.070). GCA Labs will use a Non-Binary Decision Rule to account for measurement uncertainty of the results and what is reported as PASS/FAIL for a certificate of analysis (COA). The results relate only to the samples tested and sampled. GCA Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. All client communications and testing results are treated as confidential. This Certificate shall not be reproduced without prior written approval of GCA, INC. Page 3 of 5



Pass





#### Standard Wellness Missouri

44243 Highway V Vandalia, MO 63382 alydrickson@standardwellness.com (440) 785-3847 Lic. #CUL000037 Strain: Runtz Batch#: ; Batch Size: 6720 g Sample Received: 02/21/2022; Report Created: 02/24/2022; Expires: 03/26/2022 Lab ID: 22-0287 Sampling Size: 31.915 g; Process Procedure:

Sample: 2202GCA0059.0277

Runtz Shake

Plant, Other, Indoor Harvest Process Lot: ; METRC Batch: ; METRC Sample: 1A40C0100002E7D000000140

#### Pesticides

Equipment Used: GCMS, LCMS SOP #: TM-119 Date Tested: 02/23/2022

Date Tested: 02/23/2022					
Analyte	CAS #	LOQ	Limit	Mass	Status
		PPM	PPM	PPM	
Metalaxyl	57837-19-1	0.030	0.200	ND	Pass
Methiocarb	2032-65-7	0.020	0.200	ND	Pass
Methomyl	16752-77-5	0.030	0.400	ND	Pass
Methyl Parathion	298-00-0	0.020	0.200	ND	Pass
MGK-264	113-48-4	0.020	0.200	ND	Pass
Myclobutanil	88671-89-0	0.030	0.200	ND	Pass
Naled	300-76-5	0.040	0.500	ND	Pass
Oxamyl	23135-22-0	0.020	1.000	ND	Pass
Paclobutrazol	76738-62-0	0.020	0.400	ND	Pass
Permethrins	52645-53-1	0.020	0.200	ND	Pass
Phosmet	732-11-6	0.020	0.200	ND	Pass
Piperonyl Butoxide	51-03-6	0.030	2.000	ND	Pass
Prallethrin	23031-36-9	0.030	0.200	ND	Pass
Propiconazole	60207-90-1	0.040	0.400	ND	Pass
Propoxur	114-26-1	0.030	0.200	ND	Pass
Pyrethrins	8003-34-7	0.010	1.000	ND	Pass
Pyridaben	96489-71-3	0.030	0.200	ND	Pass
Spinosad	168316-95-8	0.010	0.200	ND	Pass
Spiromesifen	283594-90-1	0.030	0.400	ND	Pass
Spirotetramat	203313-25-1	0.020	0.200	ND	Pass
Spiroxamine	118134-30-8	0.030	0.400	ND	Pass
Tebuconazole	80443-41-0	0.030	0.200	ND	Pass
Thiacloprid	111988-49-9	0.020	0.200	ND	Pass
Thiamethoxam	153719-23-4	0.030	0.200	ND	Pass
Trifloxystrobin	141517-21-7	0.030	0.200	ND	Pass

Note: Permethrins cumulative residue of cis- and trans-permethrin isomers; Pyrethrins cumulative residues of pyrethrin 1, cinerin 1 and josmolin 1. Jasmolin 1 Cas #4466-14-2; Cinerin 1 Cas #25402-06-6; Pyrethrin 1 Cas #121-21-1



GCA Labs, All Rights Reserved 1185 Scenic Dr, SUITE 135 Herculaneum, MO (636) 224-2882 www.gcalabs.com Lic# TES000002

Approved By: Joseph A. Crifasi M.A., M.T. (ASCP), D-ABFT Lab Director Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



www.confidentcannabis.com Powered by Confident Cannabis

GCA Labs is an A2LA accredited laboratory to ISO/IEC 17025:2017 (Specific tests listed on A2LA Certificate # 5611.01) and operates in compliance with Missouri state laws (19 CSR 30-95.070). GCA Labs will use a Non-Binary Decision Rule to account for measurement uncertainty of the results and what is reported as PASS/FAIL for a certificate of analysis (COA). The results relate only to the samples tested and sampled. GCA Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. All client communications and testing results are treated as confidential. This Certificate shall not be reproduced without prior written approval of GCA, INC. Page 4 of 5



Pass





### Standard Wellness Missouri

44243 Highway V Vandalia, MO 63382 alydrickson@standardwellness.com (440) 785-3847 Lic. #CUL000037

## Sample: 2202GCA0059.0277

Strain: Runtz Batch#:; Batch Size: 6720 g Sample Received: 02/21/2022; Report Created: 02/24/2022; Expires: 03/26/2022 Lab ID: 22-0287 Sampling Size: 31.915 g; Process Procedure:



### **Runtz Shake**

Plant. Other. Indoor Harvest Process Lot: ; METRC Batch: ; METRC Sample: 1A40C0100002E7D000000140



ACCREDITED
CERT# 5611.01

GCA Labs, All Rights Reserved 1185 Scenic Dr, SUITE 135 Herculaneum, MO (636) 224-2882 www.gcalabs.com Lic# TES000002



**Confident Cannabis** All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Powered by Confident Cannabis

GCA Labs is an A2LA accredited laboratory to ISO/IEC 17025:2017 (Specific tests listed on A2LA Certificate # 5611.01) and operates in compliance with Missouri state laws (19 CSR 30-95.070). GCA Labs will use a Non-Binary Decision Rule to account for measurement uncertainty of the results and what is reported as PASS/FAIL for a certificate of analysis (COA). The results relate only to the samples tested and sampled. GCA Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. All client communications and testing results are treated as confidential. This Certificate shall not be reproduced without prior written approval of GCA, INC. Page 5 of 5