

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
ddepaulo@standardwellness.com  
License: MMCPP00009

METRC ID: 1A4070100001069000019334

Report Created: 5/11/2021

CC ID: 2105NCTL0974.6092

Sample Received: 5/5/2021

LIMS ID: 52128

Item: M00000054012: Mello bar 40 mg

METRC Batch: 1A4070100001069000019245

Strain:

Product Category: Bulk Edible

CANNABINOID PROFILE by Shimadzu HPLC / NCTL SOP-116 / Date Tested - 05/07/2021, Analyst: Wella Wosabi

Analyte	LOQ mg/g	Result mg/g	Result %
Tetrahydrocannabinolic acid (THCA)	0.00311	ND	ND
delta-9-Tetrahydrocannabinol (delta-9-THC)	0.00311	1.15	0.115
delta 8-Tetrahydrocannabinol (delta 8 THC)	0.0124	ND	ND
Tetrahydrocannabivarin (THCV)	0.00311	0.00893	0.000893
Cannabidiolic acid (CBDA)	0.00311	ND	ND
Cannabidiol (CBD)	0.00311	0.0528	0.00528
Cannabidivarin (CBDV)	0.00311	ND	ND
Cannabinol (CBN)	0.00311	0.0101	0.00101
Cannabigerolic acid (CBGA)	0.00311	ND	ND
Cannabigerol (CBG)	0.00311	0.0163	0.00163
Cannabichromene (CBC)	0.00311	ND	ND
<b>Total THC</b>		<b>1.15</b>	<b>0.115</b>
<b>Total CBD</b>		<b>0.0528</b>	<b>0.00528</b>

Total THC: 1.15 mg/g  
Total CBD: 0.0528 mg/g  
Cannabinoids

Pass  
Heavy Metals

Pass  
Pesticides

Not Tested  
Terpenes

Pass  
Residual Solvents

Pass  
Mycotoxins

Pass  
Microbials


Not Tested  
Moisture

Not Tested  
Water Activity

Pass  
ND  
Foreign Matter

NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010

  
Nick Szabo  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
ddepaolo@standardwellness.com  
License: MMCP00009

**METRC ID: 1A4070100001069000019334**

Report Created: 5/11/2021

CC ID: 2105NCTL0974.6092

Sample Received: 5/5/2021

LIMS ID: 52128

Item: M00000054012: Mello bar 40 mg

METRC Batch: 1A4070100001069000019245

Strain:

Product Category: Bulk Edible

**Mycotoxins** by Shimadzu LCMSMS / NCTL SOP-102 / Date Tested - 05/07/2021, Analyst: Matt Wagner

Analyte	LOQ	OAC-3796	Result	Status
	ppb	ppb Limit	ppb	
Ochratoxin A	17.4	20	ND	Passed
Aflatoxin B1	4.34	20	ND	Passed
Aflatoxin B2	4.34	20	ND	Passed
Aflatoxin G1	4.34	20	ND	Passed
Aflatoxin G2	4.34	20	ND	Passed
<b>Total Aflatoxins</b>		20	<b>ND</b>	<b>Passed</b>

NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010



**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
 105 Commerce Drive  
 Gibsonburg, OH 43431  
 ddepaolo@standardwellness.com  
 License: MMCPP00009

**METRC ID: 1A4070100001069000019334**

Report Created: 5/11/2021

CC ID: 2105NCTL0974.6092

Sample Received: 5/5/2021

LIMS ID: 52128

Item: M00000054012: Mello bar 40 mg

METRC Batch: 1A4070100001069000019245

Strain:

Product Category: Bulk Edible

**Microbials** by 3M Petrifilm / NCTL SOP-101 / Date Tested - , Analyst: Zankhana Thakkar

Analyte	LOQ cfu/g	OAC-3796 cfu/g Limit	Result cfu/g	Status
Bile-Tolerant Gram-Negative Bacteria		1000	ND	Passed
E. Coli		1	ND	Passed
Salmonella		1	ND	Passed
Total Aerobic Bacteria		100000	ND	Passed
Total Coliforms		1000	ND	Passed
Total Yeast & Mold		10000	ND	Passed

NOTES

MICROPP21050601

North Coast Testing Laboratories, LLC  
 10100 Wellman Road  
 Streetsboro, OH 44241  
 (234) 212-1860  
 License #MMCPL00010



**Nick Szabo**  
 Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
 105 Commerce Drive  
 Gibsonburg, OH 43431  
 ddepaolo@standardwellness.com  
 License: MMCP00009

**METRC ID: 1A4070100001069000019334**

Report Created: 5/11/2021

CC ID: 2105NCTL0974.6092

Sample Received: 5/5/2021

LIMS ID: 52128

Item: M00000054012: Mello bar 40 mg

METRC Batch: 1A4070100001069000019245

Strain:


Product Category: Bulk Edible

**Heavy Metals** by Shimadzu ICPMS / NCTL SOP-103 / Date Tested - , Analyst: Zach Melvin

Analyte	LOQ	OAC-3796	Result	Status
	ppm	ppm Limit	ppm	
Arsenic	0.0657	0.42	ND	Passed
Cadmium	0.0657	0.27	ND	Passed
Lead	0.263	0.87	ND	Passed
Mercury	0.0657	0.87	ND	Passed

NOTES

North Coast Testing Laboratories, LLC  
 10100 Wellman Road  
 Streetsboro, OH 44241  
 (234) 212-1860  
 License #MMCPL00010



**Nick Szabo**  
 Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
ddepaolo@standardwellness.com  
License: MMCPP00009

**METRC ID: 1A4070100001069000019334**

Report Created: 5/11/2021

CC ID: 2105NCTL0974.6092

Sample Received: 5/5/2021

LIMS ID: 52128

Item: M00000054012: Mello bar 40 mg

METRC Batch: 1A4070100001069000019245

Strain:


Product Category: Bulk Edible

**Pesticides** by Shimadzu LCMSMS / NCTL SOP-102 / Date Tested - 05/07/2021, Analyst: Matt Wagner

Analyte	LOQ	OAC-3796	Result	Status
	ppb	ppb Limit	ppb	
Myclobutanil	43.4	>LOQ	ND	Passed
Imidacloprid	8.69	>LOQ	ND	Passed
Fludioxonil	8.69	10	ND	Passed
Flonicamid	26.1	30	ND	Passed
Etoxazole	8.69	>LOQ	ND	Passed
Dimethoate	8.69	>LOQ	ND	Passed
Dichlorvos	43.4	>LOQ	ND	Passed
Diazinon	4.34	>LOQ	ND	Passed
Daminozide	43.4	>LOQ	ND	Passed
Cyfluthrin	86.9	10	ND	Passed
Bifenazate	17.4	20	ND	Passed
Aldicarb	8.69	>LOQ	ND	Passed
Abamectin	43.4	>LOQ	ND	Passed
Paclbutrazol	8.69	>LOQ	ND	Passed
Piperonyl Butoxide	8.69	100	ND	Passed
Trifloxystrobin	8.69	10	ND	Passed
Thiamethoxam	8.69	20	ND	Passed
Spirotetramat	17.4	10	ND	Passed
Pyrethrin 1	24.4	50	ND	Passed
<b>Spinosad</b>	4.34	10	<b>ND</b>	<b>Passed</b>

NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010

  
\_\_\_\_\_  
**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
ddepaolo@standardwellness.com  
License: MMCP00009

**METRC ID: 1A4070100001069000019334**

Report Created: 5/11/2021

CC ID: 2105NCTL0974.6092

Sample Received: 5/5/2021

LIMS ID: 52128

Item: M00000054012: Mello bar 40 mg

METRC Batch: 1A4070100001069000019245

Strain:


Product Category: Bulk Edible

**Residual Solvents** by Shimadzu GCMS / NCTL-SOP-105 / Date Tested - 05/07/2021, Analyst: Debbie Schordock

Analyte	LOQ	OAC-3796	Result	Status
	ppm	ppm Limit	ppm	
Acetone	0.406	5000	ND	Passed
Benzene	0.406	2	ND	Passed
Ethanol	0.406	5000	1.29	Passed
Heptane	0.406	5000	ND	Passed
Hexane	0.406	290	ND	Passed
Isobutane	1.62	5000	ND	Passed
Isopropyl	0.406	5000	ND	Passed
N-butane	0.406	5000	ND	Passed
Pentane	0.406	5000	ND	Passed
Propane	3.25	5000	ND	Passed
Toluene	0.406	890	ND	Passed
Xylenes (o)	0.406	2170	ND	Passed
Xylenes (m, p)	0.812	2170	ND	Passed
<b>Total Xylenes</b>		2170	<b>ND</b>	<b>Passed</b>

NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCP00010



**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.