

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
ddepaolo@standardwellness.com  
License: MMPC00020

METRC ID: 1A40701000005DD000009864

Report Created: 5/26/2021

CC ID: 2105NCTL1116.7065

Sample Received: 5/21/2021

LIMS ID: 53143

Item: M00000146727: Blue Domina Shake(Shake/Trim (By Strain)) METRC Batch: 1A40701000005DD000009750

Strain: Blue Domina

Product Category: Shake/Trim

CANNABINOID PROFILE

by Shimadzu HPLC / NCTL SOP-104 / Date Tested - 05/24/2021, Analyst: Matt Wagner

Analyte	LOQ	Result	Result
	%	mg/g	%
Tetrahydrocannabinolic acid (THCA)	0.0733	214	21.4
delta-9-Tetrahydrocannabinol (delta-9-THC)	0.0733	8.4	0.84
delta 8-Tetrahydrocannabinol (delta 8 THC)	0.147	ND	ND
Tetrahydrocannabivarin (THCV)	0.0733	ND	ND
Cannabidiolic acid (CBDA)	0.0733	ND	ND
Cannabidiol (CBD)	0.0733	ND	ND
Cannabidivarin (CBDV)	0.0733	ND	ND
Cannabinol (CBN)	0.0733	ND	ND
Cannabigerolic acid (CBGA)	0.0733	2.53	0.253
Cannabigerol (CBG)	0.0733	1.32	0.132
Cannabichromene (CBC)	0.0733	ND	ND
<b>Total THC</b>		<b>196</b>	<b>19.6</b>
<b>Total CBD</b>		<b>ND</b>	<b>ND</b>

Total THC: 19.6 %  
Total CBD: 0.00 %  
Cannabinoids

Pass  
Heavy Metals

Pass  
Pesticides

Tested  
Terpenes

Not Tested  
Residual Solvents

Pass  
Mycotoxins

Pass  
Microbials


Tested  
9.81 %  
Moisture

Tested  
0.47 aw  
Water Activity

Pass  
ND  
Foreign Matter

NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010

  
Nick Szabo  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
 105 Commerce Drive  
 Gibsonburg, OH 43431  
 ddepaolo@standardwellness.com  
 License: MMCP00020

**METRC ID: 1A40701000005DD000009864**

Report Created: 5/26/2021

CC ID: 2105NCTL1116.7065

Sample Received: 5/21/2021

LIMS ID: 53143

Item: M00000146727: Blue Domina Shake(Shake/Trim (By Strain))

METRC Batch: 1A40701000005DD000009750

Strain: Blue Domina

Product Category: Shake/Trim

**Heavy Metals** by Shimadzu ICPMS / NCTL SOP-103 / Date Tested - , Analyst: Zach Melvin

Analyte	LOQ ppm	OAC-3796 ppm Limit	Result ppm	Status
Arsenic	0.0898	0.42	ND	Passed
Cadmium	0.0898	0.27	ND	Passed
Lead	0.359	0.87	ND	Passed
Mercury	0.0898	0.87	ND	Passed

NOTES

North Coast Testing Laboratories, LLC  
 10100 Wellman Road  
 Streetsboro, OH 44241  
 (234) 212-1860  
 License #MMCPL00010



**Nick Szabo**  
 Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
ddepaulo@standardwellness.com  
License: MMCP00020

**METRC ID: 1A40701000005DD000009864**

Report Created: 5/26/2021

CC ID: 2105NCTL1116.7065

Sample Received: 5/21/2021

LIMS ID: 53143

Item: M00000146727: Blue Domina Shake(Shake/Trim (By Strain))

METRC Batch: 1A40701000005DD000009750

Strain: Blue Domina

Product Category: Shake/Trim

## Microbials

by 3M Petrifilm / NCTL SOP-101 / Date Tested - , Analyst: Zankhana Thakkar

Analyte	LOQ cfu/g	OAC-3796 cfu/g Limit	Result cfu/g	Status
Bile-Tolerant Gram-Negative Bacteria		1000	ND	Passed
E. Coli		1	ND	Passed
Salmonella		1	ND	Passed
Total Aerobic Bacteria		100000	41	Passed
Total Coliforms		1000	ND	Passed
Total Yeast & Mold		10000	1055	Passed

## NOTES

MICRO21052401

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010



**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
ddepaolo@standardwellness.com  
License: MMCP00020

METRC ID: 1A40701000005DD000009864

Report Created: 5/26/2021

CC ID: 2105NCTL1116.7065

Sample Received: 5/21/2021

LIMS ID: 53143

Item: M00000146727: Blue Domina Shake(Shake/Trim (By Strain))

METRC Batch: 1A40701000005DD000009750

Strain: Blue Domina

Product Category: Shake/Trim

**Mycotoxins** by Shimadzu LCMSMS / NCTL SOP-102 / Date Tested - 05/25/2021, Analyst: Debbie Schordock

Analyte	LOQ	OAC-3796	Result	Status
	ppb	ppb Limit	ppb	
Ochratoxin A	16.3	20	ND	Passed
Aflatoxin B1	4.07	20	ND	Passed
Aflatoxin B2	4.07	20	ND	Passed
Aflatoxin G1	4.07	20	ND	Passed
Aflatoxin G2	4.07	20	ND	Passed
<b>Total Aflatoxins</b>		20	<b>ND</b>	<b>Passed</b>

NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010



**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
ddepaolo@standardwellness.com  
License: MMCP00020

**METRC ID: 1A40701000005DD000009864**

Report Created: 5/26/2021

CC ID: 2105NCTL1116.7065

Sample Received: 5/21/2021

LIMS ID: 53143

Item: M00000146727: Blue Domina Shake(Shake/Trim (By Strain)) METRC Batch: 1A40701000005DD000009750

Strain: Blue Domina

Product Category: Shake/Trim


**Pesticides**

by Shimadzu LCMSMS / NCTL SOP-102 / Date Tested - 05/25/2021, Analyst: Debbie Schordock

Analyte	LOQ	OAC-3796	Result	Status
	ppb	ppb Limit	ppb	
Dichlorvos	40.7	>LOQ	ND	Passed
Dimethoate	8.15	>LOQ	ND	Passed
Etoazole	8.15	>LOQ	ND	Passed
Flonicamid	24.4	30	ND	Passed
Fludioxonil	8.15	10	ND	Passed
Imidacloprid	8.15	>LOQ	ND	Passed
Myclobutanil	40.7	>LOQ	ND	Passed
Paclbutrazol	8.15	>LOQ	ND	Passed
Piperonyl Butoxide	8.15	100	ND	Passed
Pyrethrin 1	22.8	50	ND	Passed
Spirotetramat	16.3	10	ND	Passed
Diazinon	4.07	>LOQ	ND	Passed
Thiamethoxam	8.15	20	ND	Passed
Trifloxystrobin	8.15	10	ND	Passed
Daminozide	40.7	>LOQ	ND	Passed
Cyfluthrin	81.5	10	ND	Passed
Bifenazate	16.3	20	ND	Passed
Aldicarb	8.15	>LOQ	ND	Passed
Abamectin	40.7	>LOQ	ND	Passed
<b>Spinosad</b>	4.07	10	<b>ND</b>	<b>Passed</b>

NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCP00010



**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
ddepaolo@standardwellness.com  
License: MMCP00020

**METRC ID: 1A40701000005DD000009864**

Report Created: 5/26/2021

CC ID: 2105NCTL1116.7065

Sample Received: 5/21/2021

LIMS ID: 53143

Item: M00000146727: Blue Domina Shake(Shake/Trim (By Strain))

METRC Batch: 1A40701000005DD000009750

Strain: Blue Domina

Product Category: Shake/Trim

**Terpenes** by Shimadzu GCMS / NCTL-SOP-106 / Date Tested - 05/24/2021, Analyst: Debbie Schordock

Analyte	LOQ	Mass	Mass
	%	mg/g	%
beta-Myrcene	0.0162	6.27	0.627
beta-Caryophyllene	0.0162	1.83	0.183
alpha-Pinene	0.0162	0.766	0.0766
delta-Limonene	0.0162	0.622	0.0622
beta-Pinene	0.0162	0.581	0.0581
alpha-Humulene	0.0162	0.466	0.0466
alpha-Bisabolol	0.0162	0.455	0.0455
alpha-Terpinene	0.0162	ND	ND
beta-Ocimene	0.0162	ND	ND
Camphene	0.0162	ND	ND
delta-3-Carene	0.0162	ND	ND
gamma-Terpinene	0.0162	ND	ND
Isopulegol	0.0162	ND	ND
Terpinolene	0.0162	ND	ND

NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCP00010



**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.