

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
ddepaolo@standardwellness.com  
License: MMCPP00009

**METRC ID: 1A4070100001069000020840**

Report Created: 6/4/2021

CC ID: 2106NCTL1191.7585

Sample Received: 6/1/2021

LIMS ID: 53645

Item: M00000038046: Distillate/Terpene Blend

METRC Batch: 1A4070100001069000020897

Strain:

Product Category: Bulk Concentrate

**CANNABINOID PROFILE** by Shimadzu HPLC / NCTL SOP-116 / Date Tested - 06/02/2021, Analyst: Wella Wosabi

| Analyte                                    | LOQ  | Result      | Result      |
|--|------|-------------|-------------|
|  | mg/g | mg/g        | %           |
| Tetrahydrocannabinolic acid (THCA)         | 2.14 | 16.3        | 1.63        |
| delta-9-Tetrahydrocannabinol (delta-9-THC) | 2.14 | 708         | 70.8        |
| delta 8-Tetrahydrocannabinol (delta 8 THC) | 8.55 | ND          | ND          |
| Tetrahydrocannabivarin (THCV)              | 2.14 | 5.5         | 0.55        |
| Cannabidiolic acid (CBDA)                  | 2.14 | ND          | ND          |
| Cannabidiol (CBD)                          | 2.14 | 74.8        | 7.48        |
| Cannabidivarin (CBDV)                      | 2.14 | ND          | ND          |
| Cannabinol (CBN)                           | 2.14 | 7.78        | 0.778       |
| Cannabigerolic acid (CBGA)                 | 2.14 | ND          | ND          |
| Cannabigerol (CBG)                         | 2.14 | 15.2        | 1.52        |
| Cannabichromene (CBC)                      | 2.14 | 13.2        | 1.32        |
| <b>Total THC</b>                           |      | <b>722</b>  | <b>72.2</b> |
| <b>Total CBD</b>                           |      | <b>74.8</b> | <b>7.48</b> |

Total THC: 722 mg/g  
Total CBD: 74.8 mg/g  
Cannabinoids

Pass  
Heavy Metals

Pass  
Pesticides

Tested  
Terpenes

Pass  
Residual Solvents

Pass  
Mycotoxins

Pass  
Microbials


Not Tested  
Moisture

Not Tested  
Water Activity

Pass  
ND  
Foreign Matter

NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010

  
Nick Szabo  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
ddepaolo@standardwellness.com  
License: MMCPP00009

**METRC ID: 1A4070100001069000020840**

Report Created: 6/4/2021

CC ID: 2106NCTL1191.7585

Sample Received: 6/1/2021

LIMS ID: 53645

Item: M00000038046: Distillate/Terpene Blend

METRC Batch: 1A4070100001069000020897

Strain:

Product Category: Bulk Concentrate

## Terpenes

by Shimadzu GCMS / NCTL-SOP-106 / Date Tested - 06/04/2021, Analyst: Debbie Schordock

| Analyte            | LOQ   | Mass | Mass  |
|--------------------|-------|------|-------|
|                    | mg/g  | mg/g | %     |
| beta-Myrcene       | 0.506 | 28.9 | 2.89  |
| Terpinolene        | 0.506 | 10.9 | 1.09  |
| beta-Caryophyllene | 0.506 | 7.76 | 0.776 |
| beta-Ocimene       | 0.506 | 4.91 | 0.491 |
| delta-Limonene     | 0.506 | 4.25 | 0.425 |
| alpha-Humulene     | 0.506 | 3.01 | 0.301 |
| alpha-Pinene       | 0.506 | 2.99 | 0.299 |
| alpha-Bisabolol    | 0.506 | 2.76 | 0.276 |
| beta-Pinene        | 0.506 | 2.73 | 0.273 |
| alpha-Terpinene    | 0.506 | ND   | ND    |
| Camphene           | 0.506 | ND   | ND    |
| delta-3-Carene     | 0.506 | ND   | ND    |
| gamma-Terpinene    | 0.506 | ND   | ND    |
| Isopulegol         | 0.506 | ND   | ND    |

## NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010



**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
ddepaolo@standardwellness.com  
License: MMCP00009

**METRC ID: 1A4070100001069000020840**

Report Created: 6/4/2021

CC ID: 2106NCTL1191.7585

Sample Received: 6/1/2021

LIMS ID: 53645

Item: M00000038046: Distillate/Terpene Blend

METRC Batch: 1A4070100001069000020897

Strain:


Product Category: Bulk Concentrate

**Residual Solvents** by Shimadzu GCMS / NCTL-SOP-105 / Date Tested - 06/02/2021, Analyst: Debbie Schordock

| Analyte              | LOQ   | OAC-3796  | Result    | Status        |
|----------------------|-------|-----------|-----------|---------------|
|                      | ppm   | ppm Limit | ppm       |               |
| Acetone              | 0.565 | 5000      | ND        | Passed        |
| Benzene              | 0.565 | 2         | ND        | Passed        |
| Ethanol              | 0.565 | 5000      | 179       | Passed        |
| Heptane              | 0.565 | 5000      | ND        | Passed        |
| Hexane               | 0.565 | 290       | ND        | Passed        |
| Isobutane            | 2.26  | 5000      | ND        | Passed        |
| Isopropyl            | 0.565 | 5000      | 58.2      | Passed        |
| N-butane             | 0.565 | 5000      | ND        | Passed        |
| Pentane              | 0.565 | 5000      | 2.02      | Passed        |
| Propane              | 4.52  | 5000      | ND        | Passed        |
| Toluene              | 0.565 | 890       | ND        | Passed        |
| Xylenes (o)          | 0.565 | 2170      | ND        | Passed        |
| Xylenes (m, p)       | 1.13  | 2170      | ND        | Passed        |
| <b>Total Xylenes</b> |       | 2170      | <b>ND</b> | <b>Passed</b> |

NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCP00010



**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
ddepaolo@standardwellness.com  
License: MMCP00009

**METRC ID: 1A4070100001069000020840**

Report Created: 6/4/2021

CC ID: 2106NCTL1191.7585

Sample Received: 6/1/2021

LIMS ID: 53645

Item: M00000038046: Distillate/Terpene Blend

METRC Batch: 1A4070100001069000020897

Strain:

Product Category: Bulk Concentrate

**Heavy Metals** by Shimadzu ICPMS / NCTL SOP-103 / Date Tested - , Analyst: Zach Melvin

| Analyte | LOQ    | OAC-3796  | Result | Status |
|---------|--------|-----------|--------|--------|
|         | ppm    | ppm Limit | ppm    |        |
| Arsenic | 0.0951 | 0.42      | ND     | Passed |
| Cadmium | 0.0951 | 0.27      | ND     | Passed |
| Lead    | 0.38   | 0.87      | ND     | Passed |
| Mercury | 0.0951 | 0.87      | ND     | Passed |

NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010



**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
 105 Commerce Drive  
 Gibsonburg, OH 43431  
 ddepaolo@standardwellness.com  
 License: MMCPP00009

**METRC ID: 1A4070100001069000020840**

Report Created: 6/4/2021

CC ID: 2106NCTL1191.7585

Sample Received: 6/1/2021

LIMS ID: 53645

Item: M00000038046: Distillate/Terpene Blend

METRC Batch: 1A4070100001069000020897

Strain:

Product Category: Bulk Concentrate

**Microbials**

by 3M Petrifilm / NCTL SOP-101 / Date Tested - , Analyst: Zankhana Thakkar

| Analyte                              | LOQ<br>cfu/g | OAC-3796<br>cfu/g Limit | Result<br>cfu/g | Status |
|--------------------------------------|--------------|-------------------------|-----------------|--------|
| Bile-Tolerant Gram-Negative Bacteria |              | 1000                    | ND              | Passed |
| E. Coli                              |              | 1                       | ND              | Passed |
| Salmonella                           |              | 1                       | ND              | Passed |
| Total Aerobic Bacteria               |              | 100000                  | ND              | Passed |
| Total Coliforms                      |              | 1000                    | ND              | Passed |
| Total Yeast & Mold                   |              | 10000                   | ND              | Passed |

**NOTES**

MICROPP21060201

North Coast Testing Laboratories, LLC  
 10100 Wellman Road  
 Streetsboro, OH 44241  
 (234) 212-1860  
 License #MMCPL00010



**Nick Szabo**  
 Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
ddepaolo@standardwellness.com  
License: MMCP00009

**METRC ID: 1A4070100001069000020840**

Report Created: 6/4/2021

CC ID: 2106NCTL1191.7585

Sample Received: 6/1/2021

LIMS ID: 53645

Item: M00000038046: Distillate/Terpene Blend

METRC Batch: 1A4070100001069000020897

Strain:

Product Category: Bulk Concentrate

**Mycotoxins** by Shimadzu LCMSMS / NCTL SOP-102 / Date Tested - 06/03/2021, Analyst: Debbie Schordock

| Analyte                 | LOQ  | OAC-3796  | Result    | Status        |
|-------------------------|------|-----------|-----------|---------------|
|                         | ppb  | ppb Limit | ppb       |               |
| Ochratoxin A            | 19.6 | 20        | ND        | Passed        |
| Aflatoxin B1            | 4.91 | 20        | ND        | Passed        |
| Aflatoxin B2            | 4.91 | 20        | ND        | Passed        |
| Aflatoxin G1            | 4.91 | 20        | ND        | Passed        |
| Aflatoxin G2            | 4.91 | 20        | ND        | Passed        |
| <b>Total Aflatoxins</b> |      | 20        | <b>ND</b> | <b>Passed</b> |

NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010



**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness  
105 Commerce Drive  
Gibsonburg, OH 43431  
ddepaolo@standardwellness.com  
License: MMCPP00009

**METRC ID: 1A4070100001069000020840**

Report Created: 6/4/2021

CC ID: 2106NCTL1191.7585

Sample Received: 6/1/2021

LIMS ID: 53645

Item: M00000038046: Distillate/Terpene Blend

METRC Batch: 1A4070100001069000020897

Strain:

Product Category: Bulk Concentrate


## Pesticides

by Shimadzu LCMSMS / NCTL SOP-102 / Date Tested - 06/03/2021, Analyst: Debbie Schordock

| Analyte            | LOQ  | OAC-3796  | Result    | Status        |
|--------------------|------|-----------|-----------|---------------|
|                    | ppb  | ppb Limit | ppb       |               |
| Pyrethrin 1        | 27.6 | 50        | ND        | Passed        |
| Piperonyl Butoxide | 9.82 | 100       | ND        | Passed        |
| Pacllobutrazol     | 9.82 | >LOQ      | ND        | Passed        |
| Myclobutanil       | 49.1 | >LOQ      | ND        | Passed        |
| Imidacloprid       | 9.82 | >LOQ      | ND        | Passed        |
| Fludioxonil        | 9.82 | 10        | ND        | Passed        |
| Flonicamid         | 29.5 | 30        | ND        | Passed        |
| Etoxazole          | 9.82 | >LOQ      | ND        | Passed        |
| Dimethoate         | 9.82 | >LOQ      | ND        | Passed        |
| Dichlorvos         | 49.1 | >LOQ      | ND        | Passed        |
| Diazinon           | 4.91 | >LOQ      | ND        | Passed        |
| Cyfluthrin         | 98.2 | 10        | ND        | Passed        |
| Bifenazate         | 19.6 | 20        | ND        | Passed        |
| Aldicarb           | 9.82 | >LOQ      | ND        | Passed        |
| Abamectin          | 49.1 | >LOQ      | ND        | Passed        |
| Daminozide         | 49.1 | >LOQ      | ND        | Passed        |
| Spirotetramat      | 19.6 | 10        | ND        | Passed        |
| Thiamethoxam       | 9.82 | 20        | ND        | Passed        |
| Trifloxystrobin    | 9.82 | 10        | ND        | Passed        |
| <b>Spinosad</b>    | 4.91 | 10        | <b>ND</b> | <b>Passed</b> |

## NOTES

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
License #MMCPL00010

  
\_\_\_\_\_  
**Nick Szabo**  
Laboratory Manager



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.