

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
ddepaolo@standardwellness.com
License: MMCPP00009

METRC ID: 1A4070100001069000020509

Report Created: 6/29/2021

CC ID: 2106NCTL1397.9080

Sample Received: 6/24/2021

LIMS ID: 54995

Item: M00000122501: CO2/Terpene Blend

METRC Batch: 1A4070100001069000020505

Strain:

Product Category: Bulk Concentrate

CANNABINOID PROFILE by Shimadzu HPLC / NCTL SOP-116 / Date Tested - 06/28/2021, Analyst: Wella Wosabi

Analyte	LOQ	Result	Result
	mg/g	mg/g	%
Tetrahydrocannabinolic acid (THCA)	2.74	208	20.8
delta-9-Tetrahydrocannabinol (delta-9-THC)	2.74	424	42.4
delta 8-Tetrahydrocannabinol (delta 8 THC)	11	ND	ND
Tetrahydrocannabivarin (THCV)	2.74	3.86	0.386
Cannabidiolic acid (CBDA)	2.74	ND	ND
Cannabidiol (CBD)	2.74	ND	ND
Cannabidivarin (CBDV)	2.74	ND	ND
Cannabinol (CBN)	2.74	3.55	0.355
Cannabigerolic acid (CBGA)	2.74	14.4	1.44
Cannabigerol (CBG)	2.74	8.63	0.863
Cannabichromene (CBC)	2.74	7.33	0.733
Total THC		606	60.6
Total CBD		ND	ND

Total THC: 606 mg/g
Total CBD: 0.00 mg/g
Cannabinoids

Pass
Heavy Metals

Pass
Pesticides

Tested
Terpenes

Pass
Residual Solvents

Pass
Mycotoxins

Pass
Microbials


Not Tested
Moisture

Not Tested
Water Activity

Pass
ND
Foreign Matter

NOTES

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCPL00010


Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
ddepaolo@standardwellness.com
License: MMCPP00009

METRC ID: 1A4070100001069000020509

Report Created: 6/29/2021

CC ID: 2106NCTL1397.9080

Sample Received: 6/24/2021

LIMS ID: 54995

Item: M00000122501: CO2/Terpene Blend

METRC Batch: 1A4070100001069000020509

Strain:

Product Category: Bulk Concentrate

Terpenes by Shimadzu GCMS / NCTL-SOP-106 / Date Tested - 06/28/2021, Analyst: Debbie Schordock

Analyte	LOQ	Mass	Mass
	mg/g	mg/g	%
delta-Limonene	1.23	21.9	2.19
beta-Ocimene	1.23	20.4	2.04
beta-Caryophyllene	1.23	18.6	1.86
Linalool	1.23	10.4	1.04
alpha-Bisabolol	1.23	9.68	0.968
alpha-Humulene	1.23	5.87	0.587
beta-Pinene	1.23	3.78	0.378
beta-Myrcene	1.23	3.11	0.311
alpha-Pinene	1.23	3.07	0.307
alpha-Terpinene	1.23	ND	ND
Camphene	1.23	ND	ND
delta-3-Carene	1.23	ND	ND
gamma-Terpinene	1.23	ND	ND
Isopulegol	1.23	ND	ND
Terpinolene	1.23	ND	ND

NOTES

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCPL00010



Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
ddepaolo@standardwellness.com
License: MMCPP00009

METRC ID: 1A4070100001069000020509

Report Created: 6/29/2021

CC ID: 2106NCTL1397.9080

Sample Received: 6/24/2021

LIMS ID: 54995

Item: M00000122501: CO2/Terpene Blend

METRC Batch: 1A4070100001069000020505

Strain:


Product Category: Bulk Concentrate

Residual Solvents by Shimadzu GCMS / NCTL-SOP-105 / Date Tested - 06/25/2021, Analyst: Debbie Schordock

Analyte	LOQ	OAC-3796	Result	Status
	ppm	ppm Limit	ppm	
Acetone	0.778	5000	23.1	Passed
Benzene	0.778	2	ND	Passed
Ethanol	0.778	5000	967	Passed
Heptane	0.778	5000	ND	Passed
Hexane	0.778	290	ND	Passed
Isobutane	3.11	5000	ND	Passed
Isopropyl	0.778	5000	11.5	Passed
N-butane	0.778	5000	ND	Passed
Pentane	0.778	5000	ND	Passed
Propane	6.22	5000	ND	Passed
Toluene	0.778	890	ND	Passed
Xylenes (o)	0.778	2170	ND	Passed
Xylenes (m, p)	1.56	2170	ND	Passed
Total Xylenes		2170	ND	Passed

NOTES

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCPL00010



Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
ddepaolo@standardwellness.com
License: MMCP00009

METRC ID: 1A4070100001069000020509

Report Created: 6/29/2021

CC ID: 2106NCTL1397.9080

Sample Received: 6/24/2021

LIMS ID: 54995

Item: M00000122501: CO2/Terpene Blend

METRC Batch: 1A4070100001069000020505

Strain:

Product Category: Bulk Concentrate


Pesticides

by Shimadzu LCMSMS / NCTL SOP-102 / Date Tested - 06/26/2021, Analyst: Debbie Schordock

Analyte	LOQ	OAC-3796	Result	Status
	ppb	ppb Limit	ppb	
Myclobutanil	39.2	>LOQ	ND	Passed
Paclotrazol	7.85	>LOQ	ND	Passed
Piperonyl Butoxide	7.85	100	ND	Passed
Pyrethrin 1	22	50	ND	Passed
Spirotetramat	15.7	10	ND	Passed
Thiamethoxam	7.85	20	ND	Passed
Trifloxystrobin	7.85	10	ND	Passed
Imidacloprid	7.85	>LOQ	ND	Passed
Fludioxonil	7.85	10	ND	Passed
Etozazole	7.85	>LOQ	ND	Passed
Flonicamid	23.5	30	ND	Passed
Abamectin	39.2	>LOQ	ND	Passed
Aldicarb	7.85	>LOQ	ND	Passed
Bifenazate	15.7	20	ND	Passed
Cyfluthrin	78.5	10	ND	Passed
Daminozide	39.2	>LOQ	ND	Passed
Diazinon	3.92	>LOQ	ND	Passed
Dichlorvos	39.2	>LOQ	ND	Passed
Dimethoate	7.85	>LOQ	ND	Passed
Spinosad	3.92	10	ND	Passed

NOTES

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCP00010



Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
ddepaolo@standardwellness.com
License: MMCP00009

METRC ID: 1A4070100001069000020509

Report Created: 6/29/2021

CC ID: 2106NCTL1397.9080

Sample Received: 6/24/2021

LIMS ID: 54995

Item: M00000122501: CO2/Terpene Blend

METRC Batch: 1A4070100001069000020505

Strain:

Product Category: Bulk Concentrate

Mycotoxins by Shimadzu LCMSMS / NCTL SOP-102 / Date Tested - 06/26/2021, Analyst: Debbie Schordock

Analyte	LOQ	OAC-3796	Result	Status
	ppb	ppb Limit	ppb	
Ochratoxin A	15.7	20	ND	Passed
Aflatoxin B1	3.92	20	ND	Passed
Aflatoxin B2	3.92	20	ND	Passed
Aflatoxin G1	3.92	20	ND	Passed
Aflatoxin G2	3.92	20	ND	Passed
Total Aflatoxins		20	ND	Passed

NOTES

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCPL00010



Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
ddepaulo@standardwellness.com
License: MMCPP00009

METRC ID: 1A4070100001069000020509

Report Created: 6/29/2021

CC ID: 2106NCTL1397.9080

Sample Received: 6/24/2021

LIMS ID: 54995

Item: M00000122501: CO2/Terpene Blend

METRC Batch: 1A4070100001069000020505

Strain:

Product Category: Bulk Concentrate

Microbials by 3M Petrifilm / NCTL SOP-101 / Date Tested - , Analyst: Zankhana Thakkar

Analyte	LOQ cfu/g	OAC-3796 cfu/g Limit	Result cfu/g	Status
Bile-Tolerant Gram-Negative Bacteria		100	ND	Passed
E. Coli		1	ND	Passed
Salmonella		1	ND	Passed
Total Aerobic Bacteria		10000	ND	Passed
Total Coliforms		100	ND	Passed
Total Yeast & Mold		1000	ND	Passed

NOTES

MICROPP21062501

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCPL00010



Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
ddepaolo@standardwellness.com
License: MMCP00009

METRC ID: 1A4070100001069000020509

Report Created: 6/29/2021

CC ID: 2106NCTL1397.9080

Sample Received: 6/24/2021

LIMS ID: 54995

Item: M00000122501: CO2/Terpene Blend

METRC Batch: 1A4070100001069000020505

Strain:

Product Category: Bulk Concentrate

Heavy Metals by Shimadzu ICPMS / NCTL SOP-103 / Date Tested - , Analyst: Zach Melvin

Analyte	LOQ	OAC-3796	Result	Status
	ppm	ppm Limit	ppm	
Arsenic	0.092	0.42	ND	Passed
Cadmium	0.092	0.27	ND	Passed
Lead	0.368	0.87	ND	Passed
Mercury	0.092	0.87	ND	Passed

NOTES

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCPL00010



Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.