

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
ddepaolo@standardwellness.com
License: MMPC00020

METRC ID: 1A40701000005DD000010939

Report Created: 7/16/2021

CC ID: 2107NCTL1548.10274

Sample Received: 7/13/2021

LIMS ID: 56221

Item: M00000146727: Blue Domina Shake(Shake/Trim (By Strain)) METRC Batch: 1A40701000005DD000010905

Strain: Blue Domina

Product Category: Shake/Trim

CANNABINOID PROFILE


by Shimadzu HPLC / NCTL SOP-104 / Date Tested - 07/14/2021, Analyst: Matt Wagner

| Analyte | LOQ | Result | Result |
|--|--------|------------|-------------|
| | % | mg/g | % |
| Tetrahydrocannabinolic acid (THCA) | 0.0968 | 169 | 16.9 |
| delta-9-Tetrahydrocannabinol (delta-9-THC) | 0.0968 | 5.85 | 0.585 |
| delta 8-Tetrahydrocannabinol (delta 8 THC) | 0.194 | ND | ND |
| Tetrahydrocannabivarin (THCV) | 0.0968 | ND | ND |
| Cannabidiolic acid (CBDA) | 0.0968 | ND | ND |
| Cannabidiol (CBD) | 0.0968 | ND | ND |
| Cannabidivarin (CBDV) | 0.0968 | ND | ND |
| Cannabinol (CBN) | 0.0968 | ND | ND |
| Cannabigerolic acid (CBGA) | 0.0968 | 1.72 | 0.172 |
| Cannabigerol (CBG) | 0.0968 | ND | ND |
| Cannabichromene (CBC) | 0.0968 | ND | ND |
| Total THC | | 154 | 15.4 |
| Total CBD | | ND | ND |

| | | | | |
|--|----------------------|------------------------------|------------------------------------|---------------------------------|
| Total THC: 15.4 % Total CBD: 0.00 % Cannabinoids | Pass Heavy Metals | Pass Pesticides | Tested Terpenes | Not Tested Residual Solvents |
| Pass Mycotoxins | Pass Microbials | Tested 10.6 % Moisture | Tested 0.5 aw Water Activity | Pass ND Foreign Matter |

NOTES

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCP00010



Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
ddepaolo@standardwellness.com
License: MMCP00020

METRC ID: 1A40701000005DD000010939

Report Created: 7/16/2021

CC ID: 2107NCTL1548.10274

Sample Received: 7/13/2021

LIMS ID: 56221

Item: M00000146727: Blue Domina Shake(Shake/Trim (By Strain)) METRC Batch: 1A40701000005DD000010905

Strain: Blue Domina


Product Category: Shake/Trim

Pesticides by Shimadzu LCMSMS / NCTL SOP-102 / Date Tested - 07/15/2021, Analyst: Matt Wagner

| Analyte | LOQ | OAC-3796 | Result | Status |
|--------------------|------|-----------|-----------|---------------|
| | ppb | ppb Limit | ppb | |
| Piperonyl Butoxide | 9.12 | 100 | ND | Passed |
| Pyrethrin 1 | 25.6 | 50 | ND | Passed |
| Spirotetramat | 18.2 | 10 | ND | Passed |
| Thiamethoxam | 9.12 | 20 | ND | Passed |
| Trifloxystrobin | 9.12 | 10 | ND | Passed |
| Paclobutrazol | 9.12 | >LOQ | ND | Passed |
| Myclobutanil | 45.6 | >LOQ | ND | Passed |
| Fludioxonil | 9.12 | 10 | ND | Passed |
| Imidacloprid | 9.12 | >LOQ | ND | Passed |
| Abamectin | 45.6 | >LOQ | ND | Passed |
| Aldicarb | 9.12 | >LOQ | ND | Passed |
| Bifenazate | 18.2 | 20 | ND | Passed |
| Cyfluthrin | 91.2 | 10 | ND | Passed |
| Daminozide | 45.6 | >LOQ | ND | Passed |
| Diazinon | 4.56 | >LOQ | ND | Passed |
| Dichlorvos | 45.6 | >LOQ | ND | Passed |
| Dimethoate | 9.12 | >LOQ | ND | Passed |
| Etoxazole | 9.12 | >LOQ | ND | Passed |
| Fonicamid | 27.3 | 30 | ND | Passed |
| Spinosad | 4.56 | 10 | ND | Passed |

NOTES

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCP00010



Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
ddepaolo@standardwellness.com
License: MMCP00020

METRC ID: 1A40701000005DD000010939

Report Created: 7/16/2021

CC ID: 2107NCTL1548.10274

Sample Received: 7/13/2021

LIMS ID: 56221

Item: M00000146727: Blue Domina Shake(Shake/Trim (By Strain))

METRC Batch: 1A40701000005DD000010905

Strain: Blue Domina

Product Category: Shake/Trim

Mycotoxins by Shimadzu LCMSMS / NCTL SOP-102 / Date Tested - 07/15/2021, Analyst: Matt Wagner

| Analyte | LOQ | OAC-3796 | Result | Status |
|-------------------------|------|-----------|-----------|---------------|
| | ppb | ppb Limit | ppb | |
| Ochratoxin A | 18.2 | 20 | ND | Passed |
| Aflatoxin B1 | 4.56 | 20 | ND | Passed |
| Aflatoxin B2 | 4.56 | 20 | ND | Passed |
| Aflatoxin G1 | 4.56 | 20 | ND | Passed |
| Aflatoxin G2 | 4.56 | 20 | ND | Passed |
| Total Aflatoxins | | 20 | ND | Passed |

NOTES

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCPL00010



Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness
 105 Commerce Drive
 Gibsonburg, OH 43431
 ddepaolo@standardwellness.com
 License: MMCP00020

METRC ID: 1A40701000005DD000010939

Report Created: 7/16/2021

CC ID: 2107NCTL1548.10274

Sample Received: 7/13/2021

LIMS ID: 56221

Item: M00000146727: Blue Domina Shake(Shake/Trim (By Strain))

METRC Batch: 1A40701000005DD000010905

Strain: Blue Domina

Product Category: Shake/Trim

Microbials by 3M Petrifilm / NCTL SOP-101 / Date Tested - , Analyst: Zankhana Thakkar

| Analyte | LOQ cfu/g | OAC-3796 cfu/g Limit | Result cfu/g | Status |
|--------------------------------------|--------------|-------------------------|-----------------|--------|
| Bile-Tolerant Gram-Negative Bacteria | | 1000 | ND | Passed |
| E. Coli | | 1 | ND | Passed |
| Salmonella | | 1 | ND | Passed |
| Total Aerobic Bacteria | | 100000 | 1022 | Passed |
| Total Coliforms | | 1000 | ND | Passed |
| Total Yeast & Mold | | 10000 | 6624 | Passed |

NOTES

MICRO21071401

North Coast Testing Laboratories, LLC
 10100 Wellman Road
 Streetsboro, OH 44241
 (234) 212-1860
 License #MMCPL00010



Nick Szabo
 Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
ddepaolo@standardwellness.com
License: MMCP00020

METRC ID: 1A40701000005DD000010939

Report Created: 7/16/2021

CC ID: 2107NCTL1548.10274

Sample Received: 7/13/2021

LIMS ID: 56221

Item: M00000146727: Blue Domina Shake(Shake/Trim (By Strain))

METRC Batch: 1A40701000005DD000010905

Strain: Blue Domina

Product Category: Shake/Trim

Heavy Metals by Shimadzu ICPMS / NCTL SOP-103 / Date Tested - , Analyst: Zach Melvin

| Analyte | LOQ ppm | OAC-3796 ppm Limit | Result ppm | Status |
|---------|------------|-----------------------|---------------|--------|
| Arsenic | 0.0841 | 0.42 | ND | Passed |
| Cadmium | 0.0841 | 0.27 | ND | Passed |
| Lead | 0.337 | 0.87 | ND | Passed |
| Mercury | 0.0841 | 0.87 | ND | Passed |

NOTES

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCPL00010



Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
ddepaolo@standardwellness.com
License: MMCP00020

METRC ID: 1A40701000005DD000010939

Report Created: 7/16/2021

CC ID: 2107NCTL1548.10274

Sample Received: 7/13/2021

LIMS ID: 56221

Item: M00000146727: Blue Domina Shake(Shake/Trim (By Strain))

METRC Batch: 1A40701000005DD000010905

Strain: Blue Domina

Product Category: Shake/Trim

Terpenes by Shimadzu GCMS / NCTL-SOP-106 / Date Tested - 07/16/2021, Analyst: Laurie Broadwater

| Analyte | LOQ | Mass | Mass |
|--------------------|--------|-------|--------|
| | % | mg/g | % |
| beta-Myrcene | 0.0296 | 3.7 | 0.37 |
| beta-Caryophyllene | 0.0296 | 1.87 | 0.187 |
| alpha-Pinene | 0.0296 | 0.854 | 0.0854 |
| alpha-Bisabolol | 0.0296 | 0.809 | 0.0809 |
| alpha-Humulene | 0.0296 | 0.633 | 0.0633 |
| beta-Pinene | 0.0296 | 0.549 | 0.0549 |
| delta-Limonene | 0.0296 | 0.474 | 0.0474 |
| Linalool | 0.0296 | 0.376 | 0.0376 |
| alpha-Terpinene | 0.0296 | ND | ND |
| beta-Ocimene | 0.0296 | ND | ND |
| Camphene | 0.0296 | ND | ND |
| delta-3-Carene | 0.0296 | ND | ND |
| gamma-Terpinene | 0.0296 | ND | ND |
| Isopulegol | 0.0296 | ND | ND |
| Terpinolene | 0.0296 | ND | ND |

NOTES

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCP00010



Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.