

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
apohlod@standardwellness.com
License: MMCPP00009

METRC ID: 1A4070100001069000028946

Report Created: 3/23/2022

CC ID: 2203NCTL0813.5031

Sample Received: 3/18/2022

LIMS ID: 72424

Item: M00000054012: Mello bar 40 mg

METRC Batch: 1A4070100001069000028942

Strain:

Product Category: Bulk Edible


CANNABINOID PROFILE by / / Date Tested - 03/22/2022

Analyte	LOQ mg/g	Result mg/g	Result %
Tetrahydrocannabinolic acid (THCA)	0.0478	ND	ND
delta-9-Tetrahydrocannabinol (delta-9-THC)	0.0478	1.1	0.11
delta 8-Tetrahydrocannabinol (delta 8 THC)	0.191	ND	ND
Tetrahydrocannabivarin (THCV)	0.0478	ND	ND
Cannabidiolic acid (CBDA)	0.0478	ND	ND
Cannabidiol (CBD)	0.0478	ND	ND
Cannabidivarin (CBDV)	0.0478	ND	ND
Cannabinol (CBN)	0.0478	ND	ND
Cannabigerolic acid (CBGA)	0.0478	ND	ND
Cannabigerol (CBG)	0.0478	ND	ND
Cannabichromene (CBC)	0.0478	ND	ND
Total THC		1.1	0.11
Total CBD		ND	ND
Total THC + delta-8-THC + THCV		1.1	0.11

Total THC: 1.1 mg/g Total CBD: 0.00 mg/g Cannabinoids	Not Tested Heavy Metals	Not Tested Pesticides	Not Tested Terpenes	Not Tested Residual Solvents
Not Tested Mycotoxins	Pass Microbials	Not Tested Moisture	Not Tested Water Activity	Pass ND Foreign Matter

NOTES

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCPL00010


Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.

Prepared For: Standard Wellness
105 Commerce Drive
Gibsonburg, OH 43431
apohlod@standardwellness.com
License: MMCPP00009

METRC ID: 1A4070100001069000028946

Report Created: 3/23/2022

CC ID: 2203NCTL0813.5031

Sample Received: 3/18/2022

LIMS ID: 72424

Item: M00000054012: Mello bar 40 mg

METRC Batch: 1A4070100001069000028942

Strain:

Product Category: Bulk Edible

Microbials by 3M Petrifilm / / Date Tested - 03/21/2022

Analyte	LOQ cfu/g	OAC-3796 cfu/g Limit	Result cfu/g	Status
Total Aerobic Bacteria		100000	52	Passed
Bile-Tolerant Gram-Negative Bacteria		1000	ND	Passed
Total Coliforms		1000	ND	Passed
E. Coli		1	ND	Passed
Salmonella		1	ND	Passed
Total Yeast & Mold		10000	52	Passed

NOTES

MICROPP22032101

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
License #MMCPL00010



Nick Szabo
Laboratory Manager



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only. O.A.C. 3796 does not contain stated action limits for "pass" or "fail" determinations with regard to residual solvents; "pass"/"fail" determinations are made based on the Department of Commerce's "Residual Solvent Threshold Guidance" document issued on or about August 15, 2019.