

Standard Wellness

105 Commerce Drive
Gibsonburg, OH 43431
klagow@standardwellness.com
(214) 226-8961
Lic. #MMPC00020

Sample:
METRC ID: 1A40701000005DD000004952

METRC Batch: 1A40701000005DD000004950

CC ID: 2009NCTL1344.8646

Strain: Blue Domina

Sample Received: 09/09/2020; Report Created: 09/14/2020



M00000026812: Blue Domina Flower

Plant, Flower - Cured



20.6%
Total THC

0.00%
Total CBD

Cannabinoids by HPLC, NCTL SOP-104; Date Tested:

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.091	21.9	219
delta-9 THC	0.091	1.38	13.8
delta-8 THC	0.181	ND	ND
THCV	0.091	ND	ND
CBDa	0.091	ND	ND
CBD	0.091	ND	ND
CBDV	0.091	ND	ND
CBN	0.091	ND	ND
CBGa	0.091	0.258	2.58
CBG	0.091	0.124	1.24
CBC	0.091	ND	ND

Summary

Pass Pesticides	Not Tested Residual Solvents	Pass Microbials	Complete 12.9% Moisture
Complete 0.51 aw Water Activity	Pass Heavy Metals	Pass Foreign Matter	Pass Mycotoxins

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
Lic# MMCPL00010



Carolyn Friedrich
Carolyn Friedrich, Ph.D
Scientific Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as they were received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Moisture by Moisture Analyzer, NCTL SOP-107.

Standard Wellness

105 Commerce Drive
Gibsonburg, OH 43431
klagow@standardwellness.com
(214) 226-8961
Lic. #MMPCPC00020

Sample:
METRC ID: 1A40701000005DD000004952

METRC Batch: 1A40701000005DD000004950

CC ID: 2009NCTL1344.8646

Strain: Blue Domina

Sample Received: 09/09/2020; Report Created: 09/14/2020





M00000026812: Blue Domina Flower

Plant, Flower - Cured

Terpenes by GCMS, NCTL SOP-106

Analyte	LOQ	Mass	Mass	Analyte	LOQ	Mass	Mass
	%	%	mg/g		%	%	mg/g
β-Myrcene	0.008	1.454	14.54	Endo-Fenchyl Alcohol	0.008	ND	ND
α-Pinene	0.008	0.211	2.11	Eucalyptol	0.008	ND	ND
β-Caryophyllene	0.008	0.204	2.04	Fenchone	0.008	ND	ND
δ-Limonene	0.008	0.146	1.46	γ-Terpinene	0.008	ND	ND
β-Pinene	0.008	0.098	0.98	Geraniol	0.008	ND	ND
α-Humulene	0.008	0.058	0.58	Geranyl Acetate	0.008	ND	ND
Linalool	0.008	0.054	0.54	Guaiol	0.008	ND	ND
α-Bisabolol	0.008	0.045	0.45	Isoborneol	0.008	ND	ND
α-Terpineol	0.008	0.029	0.29	Isopulegol	0.008	ND	ND
α-Cedrene	0.008	ND	ND	Menthol	0.008	ND	ND
α-Phellandrene	0.008	ND	ND	Nerol	0.008	ND	ND
α-Terpinene	0.008	ND	ND	Nerolidol	0.008	ND	ND
β-Ocimene	0.008	ND	ND	(+)-Borneol	0.008	ND	ND
Camphene	0.008	ND	ND	Pulegone	0.008	ND	ND
Caryophyllene Oxide	0.008	ND	ND	Sabinene Hydrate	0.008	ND	ND
Cedrol	0.008	ND	ND	Terpinolene	0.008	ND	ND
cis-Nerolidol	0.008	ND	ND	Valencene	0.008	ND	ND
δ-3-Carene	0.008	ND	ND				

Primary Aromas



Date Tested: 09/14/2020

North Coast Testing Laboratories, LLC
10100 Wellman Road
Streetsboro, OH 44241
(234) 212-1860
Lic# MMCPLO0010



Carolyn Friedrich
Carolyn Friedrich, Ph.D
Scientific Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as they were received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Moisture by Moisture Analyzer, NCTL SOP-107.

Standard Wellness

105 Commerce Drive
Gibsonburg, OH 43431
klagow@standardwellness.com
(214) 226-8961
Lic. #MMCP00020

Sample:
METRC ID: 1A40701000005DD000004952

METRC Batch: 1A40701000005DD000004950

CC ID: 2009NCTL1344.8646

Strain: Blue Domina

Sample Received: 09/09/2020; Report Created: 09/14/2020



M00000026812: Blue Domina Flower
Plant, Flower - Cured

Pesticides by LCMSMS, NCTL SOP-102 Pass

Test Type	LOQ	OAC-3796 Limit*	Mass	Status
Abamectin	50.0	50.0	ND	Pass
Aldicarb	5.0	20.0	ND	Pass
Bifenazate	30.0	20.0	ND	Pass
Cyfluthrin	50.0	10.0	ND	Pass
Daminozide	30.0	50.0	ND	Pass
Diazinon	5.0	10.0	ND	Pass
Dichlorvos	50.0	150.0	ND	Pass
Dimethoate	5.0	10.0	ND	Pass
Etoxazole	5.0	10.0	ND	Pass
Fonicamid	30.0	30.0	ND	Pass
Fludioxonil	10.0	10.0	ND	Pass
Imidacloprid	5.0	20.0	ND	Pass
Myclobutanil	50.0	50.0	ND	Pass
Paclotrazol	5.0	10.0	ND	Pass
Piperonyl Butoxide	5.0	100.0	ND	Pass
Pyrethrin 1	30.0	50.0	ND	Pass
Spinosyn A	5.0	10.0	ND	Pass
Spinosyn D	5.0	10.0	ND	Pass
Spirotetramat	10.0	20.0	ND	Pass
Thiamethoxam	5.0	20.0	ND	Pass
Trifloxystrobin	5.0	10.0	ND	Pass

Date Tested: 09/10/2020;

Microbials by 3M Petrifilm, NCTL SOP-101 Pass

Test Type	OAC-3796 Limit*	Mass	Status
Aerobic Bacteria	CFU/g 100000	CFU/g ND	Pass
Bile-Tolerant Gram-Negative Bacteria	1000	ND	Pass
Coliforms	1000	ND	Pass
E. Coli	1	ND	Pass
Salmonella	1	ND	Pass
Yeast & Mold	10000	887	Pass

Date Tested: 09/10/2020;

Heavy Metals by ICPMS, NCTL SOP-103 Pass

Test Type	LOQ	OAC-3796 Limit*	Mass	Status
Arsenic	PPM 0.10	PPM 0.42	PPM ND	Pass
Cadmium	0.10	0.27	ND	Pass
Lead	0.40	0.87	ND	Pass
Mercury	0.10	0.87	ND	Pass

Date Tested: 09/10/2020;

Mycotoxins by LCMSMS, NCTL SOP-102 Pass

Test Type	LOQ	OAC-3796 Limit*	Mass	Status
Aflatoxins	PPB 5.0	PPB 20.0	PPB ND	Pass
B1	5.0	20.0	ND	Pass
B2	5.0	20.0	ND	Pass
G1	5.0	20.0	ND	Pass
G2	5.0	20.0	ND	Pass
Ochratoxin A	10.0	20.0	ND	Pass

Date Tested: 09/10/2020

Residual Solvents by GCMS, NCTL SOP-105 Not Tested

Test Type	LOQ	OAC-3796 Limit*	Mass	Status

Date Tested: ;