

Certificate of Analysis

Powered by Confident Cannabis 1 of 2

Standard Wellness

105 Commerce Drive Gibsonburg, OH 43431 klagow@standardwellness.com (214) 226-8961 Lic. #MMCPC00020

Sample: 2007ACTOH0445.1774

Strain: Durban Poison Batch#: ; Batch Size: 18.8 g

Sample Received: 07/29/2020; Report Created: 07/31/2020

M0000029327: Durban Trim

Plant, Trim, Other

METRC Batch: 1A40701000005DD000004457; METRC Sample: 1A4070100005DD000004460; METRC Manifest: 0000078310





Terpenes (SOP 602)







Analyte	LOQ	Mass	Mass	Analyte	LOQ	Mass	Mass
	PPM	PPM	mg/g		PPM	PPM	mg/g
Terpinolene	200.00	7136.98	7.14	δ-3-Carene	200.00	ND	ND
Ocimene	200.00	986.54	0.99	Eucalyptol	200.00	ND	ND
β-Caryophyllene	200.00	774.70	0.77	Fenchol	200.00	ND	ND
β-Pinene	200.00	762.72	0.76	Fenchone	200.00	ND	ND
β-Myrcene	200.00	726.04	0.73	y-Terpinene	200.00	ND	ND
α-Pinene	200.00	515.09	0.52	Geraniol	200.00	ND	ND
cis-Nerolidol	200.00	490.24	0.49	Geranyl Acetate	200.00	ND	ND
δ-Limonene	200.00	431.21	0.43	Guaiol	200.00	ND	ND
α-Bisabolol	200.00	385.65	0.39	Isoborneol	200.00	ND	ND
α-Cedrene	200.00	ND	ND	Isopulegol	200.00	ND	ND
α-Humulene	200.00	ND	ND	Linalool	200.00	ND	ND
α-Phellandrene	200.00	ND	ND	Menthol	200.00	ND	ND
α-Terpinene	200.00	ND	ND	Nerol	200.00	ND	ND
α-Terpineol	200.00	ND	ND	Pulegone	200.00	ND	ND
Borneol	200.00	ND	ND	p-Cymene	200.00	ND	ND
Camphene	200.00	ND	ND	Sabinene	200.00	ND	ND
Camphor	200.00	ND	ND	Sabinene Hydrate	200.00	ND	ND
Caryophyllene	200.00	ND	ND	trans-Nerolidol	200.00	ND	ND
Oxide	200.00	ND	ND	Valencene	200.00	ND	ND
Cedrol	200.00	ND	ND				

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Terpene analysis result is an estimate as the sample response is typically outside the standard curve linear response.

Cannabi	noids (SOP 801)		Complete
Analyte	LOQ	Mass	
	%	%	
CBDVa	0.125	ND	
CBDV	0.125	ND	
CBDa	0.125	ND	
CBGa	0.125	0.473	
CBG	0.125	ND	
CBD	0.125	ND	
THCV	0.125	ND	
THCVa	0.125	0.666	
CBN	0.125	ND	
CBNa	0.125	ND	
Δ9-THC	0.125	1.068	
Δ8-THC	0.125	ND	
CBL	0.125	ND	
CBC	0.125	ND	
THCa	0.125	12.786	

12.282% ND

Total THC Total CBD

Total THC = THCa * 0.877 + â^+9-THC; Total CBD = CBDa * 0.877 + CBD LOQ = Limit of Quantitation; Cannabinoid potency values are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Safety

Pass	Pass	Pass
Pesticides	Microbials	Mycotoxins
(SOP 804)	(SOP 401)	(SOP 804)
Not Tested Solvents (SOP 601)	Pass Foreign Matter	Pass Heavy Metals

ACT Laboratories (OH) (Lic. #MMCPL00011) 1706 Woodville Rd Toledo, OH (517) 227-1338

www.actlaboratoriesinc.com

AugBul

Ashley Pohlod Laboratory Manager Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Sample selection completed according to SOP 204. This product has been tested by ACT Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.



Certificate of Analysis

Powered by Confident Cannabis 2 of 2

Standard Wellness

105 Commerce Drive Gibsonburg, OH 43431 klagow@standardwellness.com (214) 226-8961 Lic. #MMCPC00020 Sample: 2007ACTOH0445.1774

Strain: Durban Poison Batch#: ; Batch Size: 18.8 g

Sample Received: 07/29/2020; Report Created: 07/31/2020

M00000029327: Durban Trim

Plant, Trim, Other

METRC Batch: 1A40701000005DD000004457; METRC Sample: 1A40701000005DD000004460; METRC Manifest: 0000078310



PPM	Pesticides				Pass
Abamectin 0.010 0.000 ND Pass Aldicarb Aldicarb 0.010 0.000 ND Pass Bifenazate Cyfluthrin 0.010 0.010 ND Pass Daminozide 0.010 0.000 ND Pass Daminozide 0.010 0.000 ND Pass Diazinon 0.010 0.000 ND Pass Diazinon 0.010 0.000 ND Pass Diazinon 0.010 0.000 ND Pass Dimethoate 0.010 0.000 ND Pass Dimethoate 0.010 0.000 ND Pass Pass Pludioxazole 0.010 0.000 ND Pass Pass Pludioxonil 0.010 0.010 ND Pass Pass Pludioxonil 0.010 0.010 ND Pass Pass Pass Pass Pass Pass Pass Pass	Analyte	LOQ	Limit	Mass	Status
Aldicarb 0.010 0.000 ND Pas Bifenazate 0.010 0.100 ND Pas Cyfluthrin 0.010 0.010 ND Pas Daminozide 0.010 0.000 ND Pas Diazinon 0.010 0.000 ND Pas Dichlorvos 0.010 0.000 ND Pas Dimethoate 0.010 0.000 ND Pas Etoxazole 0.010 0.000 ND Pas Flonicamid 0.010 0.150 ND Pas Fludioxonil 0.010 0.010 ND Pas Hydioxonil 0.010 0.000 ND Pas Myclobutanil 0.010 0.000 ND Pas Paclobutrazol 0.010 0.000 ND Pas Piperonyl Butoxide 0.010 0.000 ND Pas Spinosad 0.010 0.020 ND Pas Spirot		PPM	PPM	PPM	
Bifenazate 0.010 0.100 ND Pas Cyfluthrin 0.010 0.010 ND Pas Daminozide 0.010 0.000 ND Pas Diazinon 0.010 0.000 ND Pas Dichlorvos 0.010 0.000 ND Pas Dimethoate 0.010 0.000 ND Pas Etoxazole 0.010 0.000 ND Pas Flonicamid 0.010 0.150 ND Pas Fludioxonil 0.010 0.010 ND Pas Hydobutanil 0.010 0.000 ND Pas Paclobutrazol 0.010 0.000 ND Pas Piperonyl Butoxide 0.010 0.000 ND Pas Spinosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.020 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Abamectin	0.010	0.000	ND	Pass
Cyfluthrin 0.010 0.010 ND Pas Daminozide 0.010 0.000 ND Pas Diazinon 0.010 0.000 ND Pas Dichlorvos 0.010 0.000 ND Pas Dimethoate 0.010 0.000 ND Pas Etoxazole 0.010 0.000 ND Pas Flonicamid 0.010 0.150 ND Pas Fludioxonil 0.010 0.010 ND Pas Imidacloprid 0.010 0.000 ND Pas Myclobutanil 0.010 0.000 ND Pas Piperonyl Butoxide 0.010 0.000 ND Pas Spirosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.020 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Aldicarb	0.010	0.000	ND	Pass
Daminozide 0.010 0.000 ND Pas Diazinon 0.010 0.000 ND Pas Dichlorvos 0.010 0.000 ND Pas Dimethoate 0.010 0.000 ND Pas Etoxazole 0.010 0.000 ND Pas Flonicamid 0.010 0.150 ND Pas Fludioxonil 0.010 0.010 ND Pas Myclobutanil 0.010 0.000 ND Pas Myclobutanil 0.010 0.000 ND Pas Piperonyl Butoxide 0.010 0.000 ND Pas Pyrethrins 0.010 0.050 ND Pas Spinosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.020 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Bifenazate	0.010	0.100	ND	Pass
Diazinon 0.010 0.000 ND Pas Dichlorvos 0.010 0.000 ND Pas Dimethoate 0.010 0.000 ND Pas Etoxazole 0.010 0.000 ND Pas Flonicamid 0.010 0.150 ND Pas Fludioxonil 0.010 0.010 ND Pas Myclobutanil 0.010 0.000 ND Pas Myclobutanil 0.010 0.000 ND Pas Paclobutrazol 0.010 0.000 ND Pas Pyrethrins 0.010 0.050 ND Pas Spirosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.020 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Cyfluthrin	0.010	0.010	ND	Pass
Dichlorvos 0.010 0.000 ND Pas Dimethoate 0.010 0.000 ND Pas Etoxazole 0.010 0.000 ND Pas Flonicamid 0.010 0.150 ND Pas Fludioxonil 0.010 0.010 ND Pas Imidacloprid 0.010 0.000 ND Pas Myclobutanil 0.010 0.000 ND Pas Paclobutrazol 0.010 0.000 ND Pas Piperonyl Butoxide 0.010 0.100 ND Pas Spirosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.200 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Daminozide	0.010	0.000	ND	Pass
Dimethoate 0.010 0.000 ND Pas Etoxazole 0.010 0.000 ND Pas Flonicamid 0.010 0.150 ND Pas Fludioxonil 0.010 0.010 ND Pas Imidacloprid 0.010 0.000 ND Pas Myclobutanil 0.010 0.000 ND Pas Paclobutrazol 0.010 0.000 ND Pas Piperonyl Butoxide 0.010 0.100 ND Pas Pyrethrins 0.010 0.050 ND Pas Spinosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.200 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Diazinon	0.010	0.000	ND	Pass
Etoxazole 0.010 0.000 ND Pas Flonicamid 0.010 0.150 ND Pas Fludioxonil 0.010 0.010 ND Pas Imidacloprid 0.010 0.000 ND Pas Myclobutanil 0.010 0.000 ND Pas Paclobutrazol 0.010 0.000 ND Pas Piperonyl Butoxide 0.010 0.100 ND Pas Spirosad 0.010 0.050 ND Pas Spirotetramat 0.010 0.200 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Dichlorvos	0.010	0.000	ND	Pass
Flonicamid 0.010 0.150 ND Pas Fludioxonil 0.010 0.010 ND Pas Imidacloprid 0.010 0.000 ND Pas Myclobutanil 0.010 0.000 ND Pas Paclobutrazol 0.010 0.000 ND Pas Piperonyl Butoxide 0.010 0.100 ND Pas Pyrethrins 0.010 0.050 ND Pas Spinosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.200 ND Pas Thiamethoxam 0.010 0.020 ND Pas 0.020 ND Pas Thiamethoxam 0.010 0.020 ND 0.020 ND	Dimethoate	0.010	0.000	ND	Pass
Fludioxonil 0.010 0.010 ND Pas Imidacloprid 0.010 0.000 ND Pas Myclobutanil 0.010 0.000 ND Pas Paclobutrazol 0.010 0.000 ND Pas Piperonyl Butoxide 0.010 0.100 ND Pas Pyrethrins 0.010 0.050 ND Pas Spinosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.200 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Etoxazole	0.010	0.000	ND	Pass
Imidacloprid	Flonicamid	0.010	0.150	ND	Pass
Myclobutanil 0.010 0.000 ND Pas Paclobutrazol 0.010 0.000 ND Pas Piperonyl Butoxide 0.010 0.100 ND Pas Pyrethrins 0.010 0.050 ND Pas Spinosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.200 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Fludioxonil	0.010	0.010	ND	Pass
Paclobutrazol 0.010 0.000 ND Pas Piperonyl Butoxide 0.010 0.100 ND Pas Pyrethrins 0.010 0.050 ND Pas Spinosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.200 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Imidacloprid	0.010	0.000	ND	Pass
Piperonyl Butoxide 0.010 0.100 ND Pas Pyrethrins 0.010 0.050 ND Pas Spinosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.200 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Myclobutanil	0.010	0.000	ND	Pass
Pyrethrins 0.010 0.050 ND Pas Spinosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.200 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Paclobutrazol	0.010	0.000	ND	Pass
Spinosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.200 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Piperonyl Butoxide	0.010	0.100	ND	Pass
Spirotetramat 0.010 0.200 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Pyrethrins	0.010	0.050	ND	Pass
Thiamethoxam 0.010 0.020 ND Pas	Spinosad	0.010	0.020	ND	Pass
	Spirotetramat	0.010	0.200	ND	Pass
T:0 1:	Thiamethoxam	0.010	0.020	ND	Pass
Irifloxystrobin 0.010 0.010 ND Pas	Trifloxystrobin	0.010	0.010	ND	Pass

 ${\sf LOQ}$ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Heavy Metals		Pass		
Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.04	0.42	ND	Pass
Cadmium	0.04	0.27	ND	Pass
Lead	0.04	0.87	0.13	Pass
Morcury	0.04	0.87	ND	Pacc

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Complete
13.4%
Moisture
(SOP 205)

Complete

0.61 aw
Water Activity

Microbials			Pass
Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Aerobic Bacteria	100000	1393	Pass
Bile-Tolerant Gram-Negative Bacteria	1000	ND	Pass
Coliforms	1000	ND	Pass
E. Coli	0	ND	Pass
Salmonella	0	ND	Pass
Yeast & Mold	10000	3581	Pass

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory

Residual Solvents			Not Tested		
Analyte	LOQ	Limit	Mass	Status	

Mycotoxins			Pass
Analyte	LOQ	Limit	Mass Status
	PPB	PPB	PPB
B1	0.1		ND Tested
B2	0.1		ND Tested
G1	0.1		ND Tested
G2	0.1		ND Tested
Ochratoxin A	0.1	20.0	ND Pass
Total Aflatoxins	0.1	20.0	ND Pass

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

ACT Laboratories (OH) (Lic. #MMCPL00011) 1706 Woodville Rd

Toledo, OH (517) 227-1338

www.actlaboratoriesinc.com

Amal

Ashley Pohlod Laboratory Manager Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Sample selection completed according to SOP 204. This product has been tested by ACT Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.