

## Standard Wellness

105 Commerce Drive  
Gibsonburg, OH 43431  
info@standardwellness.com

Lic. #MMCP00020

## Sample:

METRC ID: 1A40701000005DD000008097

METRC Batch: 1A40701000005DD000008088

CC ID: 2103NCTL0450.2883


Strain: Gibsonburg Glue

Sample Received: 03/04/2021; Report Created: 03/08/2021



M00000013905: Gibsonburg Glue Flower

Plant, Flower - Cured

	<h2>19.9%</h2> <p>Total THC</p>	<h2>0.00%</h2> <p>Total CBD</p>
-----------------------------------------------------------------------------------	---------------------------------	---------------------------------

## Cannabinoids by HPLC, NCTL SOP-104; Date Tested:

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.049	20.1	201
delta-9 THC	0.049	2.25	22.5
delta-8 THC	0.196	ND	ND
THCV	0.049	ND	ND
CBDa	0.049	ND	ND
CBD	0.049	ND	ND
CBDV	0.049	ND	ND
CBN	0.049	ND	ND
CBGa	0.049	0.306	3.06
CBG	0.049	0.0693	0.693
CBC	0.049	0.0611	0.611

## Summary

<p><b>Pass</b></p> <p>Pesticides</p>	<p><b>Not Tested</b></p> <p>Residual Solvents</p>	<p><b>Pass</b></p> <p>Microbials</p>	<p><b>Complete</b></p> <p>14.3%</p> <p>Moisture</p>
<p><b>Complete</b></p> <p>0.48 aw</p> <p>Water Activity</p>	<p><b>Pass</b></p> <p>Heavy Metals</p>	<p><b>Pass</b></p> <p>Foreign Matter</p>	<p><b>Pass</b></p> <p>Mycotoxins</p>

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
Lic# MMCPL00010



*Nicholas Szabo*  
Nicholas Szabo  
Laboratory Manager

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast), in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as they were received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only.

## Standard Wellness

105 Commerce Drive  
Gibsonburg, OH 43431  
info@standardwellness.com

Lic. #MMCP00020

## Sample:

METRC ID: 1A40701000005DD000008097

METRC Batch: 1A40701000005DD000008088

CC ID: 2103NCTL0450.2883

Strain: Gibsonburg Glue

Sample Received: 03/04/2021; Report Created: 03/08/2021



M00000013905: Gibsonburg Glue Flower


Plant, Flower - Cured

## Terpenes by GCMS, NCTL SOP-106

Analyte	LOQ	Mass	Mass	
	%	%	mg/g	
β-Caryophyllene	0.008	1.274	12.74	<div style="width: 100%;"></div>
δ-Limonene	0.008	0.540	5.40	<div style="width: 40%;"></div>
α-Humulene	0.008	0.342	3.42	<div style="width: 25%;"></div>
β-Myrcene	0.008	0.247	2.47	<div style="width: 15%;"></div>
Linalool	0.008	0.076	0.76	<div style="width: 5%;"></div>
β-Pinene	0.008	0.066	0.66	<div style="width: 5%;"></div>
α-Pinene	0.008	0.044	0.44	<div style="width: 5%;"></div>
α-Bisabolol	0.008	0.042	0.42	<div style="width: 5%;"></div>

Analyte	LOQ	Mass	Mass
	%	%	mg/g
α-Terpinene	0.008	ND	ND
β-Ocimene	0.008	ND	ND
Camphene	0.008	ND	ND
δ-3-Carene	0.008	ND	ND
γ-Terpinene	0.008	ND	ND
Isopulegol	0.008	ND	ND
Terpinolene	0.008	ND	ND

## Primary Aromas



Date Tested: 03/05/2021

North Coast Testing Laboratories, LLC  
10100 Wellman Road  
Streetsboro, OH 44241  
(234) 212-1860  
Lic# MMCPL00010



*Nicholas Szabo*  
Nicholas Szabo  
Laboratory Manager

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



\*Ohio OAC 3796 Limits. Water Activity by Water Activity Meter, NCTL SOP-108. Moisture by Moisture Analyzer, NCTL SOP-107. Samples collected by NCTL personnel were collected using sampling plan NCTL SOP-230, Marijuana Sampling. This product has been tested by North Coast Testing Laboratories, LLC (North Coast) in accordance with the laws of the State of Ohio. North Coast makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any analyte reported herein. "ND" indicates that the analyte was not detected to be present in the sample tested at levels at or above the limit of quantitation. Values reported relate only to the product tested. Samples not collected by North Coast are analyzed as they were received, unless noted otherwise. This Certificate shall not be reproduced, except in full, without the written consent of NCTL. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4849.01. Terpenes is a qualitative test providing estimated concentrations only.

## Standard Wellness

105 Commerce Drive  
Gibsonburg, OH 43431  
info@standardwellness.com

Lic. #MMCP00020

Sample:

METRC ID: 1A40701000005DD000008097

METRC Batch: 1A40701000005DD000008088

CC ID: 2103NCTL0450.2883

Strain: Gibsonburg Glue

Sample Received: 03/04/2021; Report Created: 03/08/2021



M00000013905: Gibsonburg Glue Flower

Plant, Flower - Cured

## Pesticides by LCMSMS, NCTL SOP-102 Pass

Test Type	LOQ	OAC-3796 Limit*	Mass	Status
Abamectin	50.0	50.0	ND	Pass
Aldicarb	10.0	10.0	ND	Pass
Bifenazate	20.0	20.0	ND	Pass
Cyfluthrin	100.0	100.0	ND	Pass
Daminozide	50.0	50.0	ND	Pass
Diazinon	5.0	5.0	ND	Pass
Dichlorvos	50.0	50.0	ND	Pass
Dimethoate	10.0	10.0	ND	Pass
Etoxazole	10.0	10.0	ND	Pass
Fonicamid	30.0	30.0	ND	Pass
Fludioxonil	10.0	10.0	ND	Pass
Imidacloprid	10.0	10.0	ND	Pass
Myclobutanil	50.0	50.0	ND	Pass
Paclotrazol	10.0	10.0	ND	Pass
Piperonyl Butoxide	10.0	100.0	ND	Pass
Pyrethrin 1	28.1	50.0	ND	Pass
Spinosyn A	5.0	10.0	ND	Pass
Spinosyn D	5.0	10.0	ND	Pass
Spirotetramat	20.0	20.0	ND	Pass
Thiamethoxam	10.0	20.0	ND	Pass
Trifloxystrobin	10.0	10.0	ND	Pass

Date Tested: 03/06/2021;

## Mycotoxins by LCMSMS, NCTL SOP-102 Pass

Test Type	LOQ	OAC-3796 Limit*	Mass	Status
Aflatoxins	5.0	20.0	ND	Pass
B1	5.0	20.0	ND	Pass
B2	5.0	20.0	ND	Pass
G1	5.0	20.0	ND	Pass
G2	5.0	20.0	ND	Pass
Ochratoxin A	20.0	20.0	ND	Pass

Date Tested: 03/06/2021

## Microbials by 3M Petrifilm, NCTL SOP-101 Pass

Test Type	OAC-3796 Limit*	Mass	Status
Aerobic Bacteria	100000 CFU/g	3659 CFU/g	Pass
Bile-Tolerant Gram-Negative Bacteria	1000	ND	Pass
Coliforms	1000	ND	Pass
E. Coli	1	ND	Pass
Salmonella	1	ND	Pass
Yeast & Mold	10000	5470	Pass

Date Tested: 03/05/2021;

## Heavy Metals by ICPMS, NCTL SOP-103 Pass

Test Type	LOQ	OAC-3796 Limit*	Mass	Status
Arsenic	0.10 PPM	0.42 PPM	ND	Pass
Cadmium	0.10	0.27	ND	Pass
Lead	0.40	0.87	ND	Pass
Mercury	0.10	0.87	ND	Pass

Date Tested: 03/05/2021;

## Residual Solvents by GCMS, NCTL SOP-105 Not Tested

Test Type	LOQ	OAC-3796 Limit*	Mass	Status

Date Tested: ;