

Certificate of Analysis

Powered by Confident Cannabis 1 of 2

Standard Wellness

105 Commerce Drive Gibsonburg, OH 43431 info@standardwellness.com Sample: 2010ACTOH0654.2764

Strain: MAC

Batch#: ; Batch Size: 11.1 g

Sample Received: 10/16/2020; Report Created: 10/20/2020

Lic. #MMCPC00020

M00000045312: MAC Trim

Plant, Trim, Other

METRC Batch: 1A40701000005DD000005502; METRC Sample: 1A40701000005DD000005545; METRC Manifest: 0000111602





Terpenes (SOP 602)







Analysta	LOO	Mass	Mass	Analyto	LOO	Mass	Mass
Analyte			Mass	<u>Analyte</u>			
	PPM	PPM	mg/g		PPM	PPM	mg/g
δ-Limonene	200.003		3.54	Cedrol	200.00	ND	ND
β-Caryophyllene	200.00 1	.785.22	1.79	δ-3-Carene	200.00	ND	ND
cis-Nerolidol	200.00 1	732.17	1.73	Eucalyptol	200.00	ND	ND
Linalool	200.001	219.28	1.22	Fenchol	200.00	ND	ND
β-Myrcene	200.00	985.51	0.99	y-Terpinene	200.00	ND	ND
α-Bisabolol	200.00	972.90	0.97	Geraniol	200.00	ND	ND
α-Pinene	200.00	941.45	0.94	Geranyl Acetate	200.00	ND	ND
β-Pinene	200.00	722.90	0.72	Guaiol	200.00	ND	ND
Valencene	200.00	632.32	0.63	Isoborneol	200.00	ND	ND
α-Humulene	200.00	617.68	0.62	Isopulegol	200.00	ND	ND
α-Terpineol	200.00	583.04	0.58	Menthol	200.00	ND	ND
Fenchone	200.00	574.93	0.57	Nerol	200.00	ND	ND
α-Cedrene	200.00	ND	ND	Ocimene	200.00	ND	ND
α-Phellandrene	200.00	ND	ND	Pulegone	200.00	ND	ND
α-Terpinene	200.00	ND	ND	p-Cymene	200.00	ND	ND
Borneol	200.00	ND	ND	Sabinene	200.00	ND	ND
Camphene	200.00	ND	ND	Sabinene Hydrate	200.00	ND	ND
Camphor	200.00	ND	ND	Terpinolene	200.00	ND	ND
Caryophyllene				trans-Nerolidol	200.00	ND	ND
Oxide	200.00	ND	ND			.,,	

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Terpene analysis result is an estimate as the sample response is typically outside the standard curve linear response.

Cannabir	noids (SOP 801)		Complete
Analyte	LOQ	Mass	
	%	%	
CBDVa	0.125	ND	
CBDV	0.125	ND	
CBDa	0.125	ND	
CBGa	0.125	0.395	
CBG	0.125	ND	
CBD	0.125	ND	
THCV	0.125	ND	
THCVa	0.125	ND	
CBN	0.125	ND	
CBNa	0.125	ND	
Δ9-THC	0.125	1.173	
Δ8-THC	0.125	ND	
CBL	0.125	ND	
CBC	0.125	ND	
THCa	0.125	18.420	
CBCa	0.125	0.393	

17.327% ND

Total THC Total CBD

Total THC = THCa * 0.877 + â^+9-THC; Total CBD = CBDa * 0.877 + CBD LOQ = Limit of Quantitation; Cannabinoid potency values are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Safety

Pass
Pesticides
(SOP 804)Pass
Microbials
(SOP 401)Pass
Mycotoxins
(SOP 804)Not Tested
Solvents
(SOP 601)Pass
Foreign Matter
(SOP 203)Pass
Heavy Metals
(SOP 902)

ACT Laboratories (OH) (Lic. #MMCPL00011) 1706 Woodville Rd Toledo, OH (517) 227-1338

www.actlaboratoriesinc.com

AugBul

Ashley Pohlod Laboratory Manager Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Sample selection completed according to SOP 204. This product has been tested by ACT Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.



Certificate of Analysis

Powered by Confident Cannabis 2 of 2

Standard Wellness

105 Commerce Drive Gibsonburg, OH 43431 info@standardwellness.com Sample: 2010ACTOH0654.2764

Strain: MAC

Batch#: ; Batch Size: 11.1 g

Sample Received: 10/16/2020; Report Created: 10/20/2020

Lic. #MMCPC00020

M00000045312: MAC Trim

Plant, Trim, Other

METRC Batch: 1A40701000005DD000005502; METRC Sample: 1A40701000005DD000005545; METRC Manifest: 0000111602



PPM	Pesticides				Pass
Abamectin 0.010 0.000 ND Pass Aldicarb 0.010 0.000 ND Pass Bifenazate 0.010 0.100 ND Pass Cyfluthrin 0.010 0.010 ND Pass Daminozide 0.100 0.000 ND Pass Diazinon 0.010 0.000 ND Pass Dichlorvos 0.050 0.000 ND Pass Dimethoate 0.010 0.000 ND Pass Etoxazole 0.010 0.000 ND Pass Fludioxonil 0.010 0.010 ND Pass Fludioxonil 0.010 0.000 ND Pass Myclobutanil 0.010 0.000 ND Pass Myclobutanil 0.010 0.000 ND Pass Piperonyl Butoxide 0.010 0.000 ND Pass Spinosad 0.010 0.020 ND Pass	Analyte	LOQ	Limit	Mass	Status
Aldicarb 0.010 0.000 ND Passifenazate Gyfluthrin 0.010 0.010 ND Passifenazate Cyfluthrin 0.010 0.010 ND Passifenazate Diazinon 0.100 0.000 ND Passifenazate Diazinon 0.010 0.000 ND Passifenazate Dichlorvos 0.050 0.000 ND Passifenazate Dimethoate 0.010 0.000 ND Passifenazate Eloxazole 0.010 0.000 ND Passifenazate Flonicamid 0.010 0.010 ND Passifenazate Fludioxonil 0.010 0.010 ND Passifenazate Myclobutanil 0.010 0.000 ND Passifenazate Paclobutrazol 0.010 0.000 ND Passifenazate Piperonyl Butoxide 0.010 0.000 ND Passifenazate Spinosad 0.010 0.020 ND Passifenazate Sp		PPM	PPM	PPM	
Bifenazate 0.010 0.100 ND Pas Cyfluthrin 0.010 0.010 ND Pas Daminozide 0.100 0.000 ND Pas Diazinon 0.010 0.000 ND Pas Dichlorvos 0.050 0.000 ND Pas Dimethoate 0.010 0.000 ND Pas Etoxazole 0.010 0.000 ND Pas Flonicamid 0.010 0.150 ND Pas Fludioxonil 0.010 0.010 ND Pas Myclobutanil 0.010 0.000 ND Pas Paclobutrazol 0.010 0.000 ND Pas Piperonyl Butoxide 0.010 0.000 ND Pas Spinosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.020 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Abamectin	0.010	0.000	ND	Pass
Cyfluthrin 0.010 0.010 ND Pas Daminozide 0.100 0.000 ND Pas Diazinon 0.010 0.000 ND Pas Dichlorvos 0.050 0.000 ND Pas Dimethoate 0.010 0.000 ND Pas Etoxazole 0.010 0.000 ND Pas Flonicamid 0.010 0.150 ND Pas Fludioxonil 0.010 0.010 ND Pas Myclobutanil 0.010 0.000 ND Pas Myclobutanil 0.010 0.000 ND Pas Piperonyl Butoxide 0.010 0.000 ND Pas Spirosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.020 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Aldicarb	0.010	0.000	ND	Pass
Daminozide 0.100 0.000 ND Pas Diazinon 0.010 0.000 ND Pas Dichlorvos 0.050 0.000 ND Pas Dimethoate 0.010 0.000 ND Pas Etoxazole 0.010 0.000 ND Pas Flonicamid 0.010 0.150 ND Pas Fludioxonil 0.010 0.010 ND Pas Myclobutanil 0.010 0.000 ND Pas Myclobutanil 0.010 0.000 ND Pas Piperonyl Butoxide 0.010 0.000 ND Pas Pyrethrins 0.010 0.050 ND Pas Spinosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.020 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Bifenazate	0.010	0.100	ND	Pass
Diazinon 0.010 0.000 ND Pas Dichlorvos 0.050 0.000 ND Pas Dimethoate 0.010 0.000 ND Pas Etoxazole 0.010 0.000 ND Pas Flonicamid 0.010 0.150 ND Pas Fludioxonil 0.010 0.010 ND Pas Imidacloprid 0.010 0.000 ND Pas Myclobutanil 0.010 0.000 ND Pas Paclobutrazol 0.010 0.000 ND Pas Piperonyl Butoxide 0.010 0.100 ND Pas Spirosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.200 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Cyfluthrin	0.010	0.010	ND	Pass
Dichlorvos 0.050 0.000 ND Pas Dimethoate 0.010 0.000 ND Pas Etoxazole 0.010 0.000 ND Pas Flonicamid 0.010 0.150 ND Pas Fludioxonil 0.010 0.010 ND Pas Imidacloprid 0.010 0.000 ND Pas Myclobutanil 0.010 0.000 ND Pas Paclobutrazol 0.010 0.000 ND Pas Piperonyl Butoxide 0.010 0.100 ND Pas Spirosad 0.010 0.050 ND Pas Spirotetramat 0.010 0.200 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Daminozide	0.100	0.000	ND	Pass
Dimethoate 0.010 0.000 ND Past Etoxazole Etoxazole 0.010 0.000 ND Past Etoxazole Flonicamid 0.010 0.010 ND Past Etoxazole Fludioxonil 0.010 0.010 ND Past Etoxazole Myclobutanil 0.010 0.000 ND Past Past Etoxazole Paclobutrazol 0.010 0.000 ND Past Past Past Past Past Past Past Past	Diazinon	0.010	0.000	ND	Pass
Etoxazole 0.010 0.000 ND Pas Flonicamid 0.010 0.150 ND Pas Fludioxonil 0.010 0.010 ND Pas Imidacloprid 0.010 0.000 ND Pas Myclobutanil 0.010 0.000 ND Pas Paclobutrazol 0.010 0.000 ND Pas Piperonyl Butoxide 0.010 0.100 ND Pas Pyrethrins 0.010 0.050 ND Pas Spinosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.200 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Dichlorvos	0.050	0.000	ND	Pass
Flonicamid 0.010 0.150 ND Past Fludioxonil 0.010 0.010 ND Past Imidacloprid 0.010 0.000 ND Past Myclobutanil 0.010 0.000 ND Past Paclobutrazol 0.010 0.000 ND Past Piperonyl Butoxide 0.010 0.100 ND Past Pyrethrins 0.010 0.050 ND Past Spinosad 0.010 0.020 ND Past Spirotetramat 0.010 0.200 ND Past Past	Dimethoate	0.010	0.000	ND	Pass
Fludioxonil 0.010 0.010 ND Past Imidacloprid Imidacloprid 0.010 0.000 ND Past Myclobutanil Myclobutanil 0.010 0.000 ND Past Past Past Past Past Past Past Past	Etoxazole	0.010	0.000	ND	Pass
Imidacloprid	Flonicamid	0.010	0.150	ND	Pass
Myclobutanil 0.010 0.000 ND Pas Paclobutrazol 0.010 0.000 ND Pas Piperonyl Butoxide 0.010 0.100 ND Pas Pyrethrins 0.010 0.050 ND Pas Spinosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.200 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Fludioxonil	0.010	0.010	ND	Pass
Paclobutrazol 0.010 0.000 ND Pac Piperonyl Butoxide 0.010 0.100 ND Pac Pyrethrins 0.010 0.050 ND Pac Spinosad 0.010 0.020 ND Pac Spirotetramat 0.010 0.200 ND Pac Thiamethoxam 0.010 0.020 ND Pac	Imidacloprid	0.010	0.000	ND	Pass
Piperonyl Butoxide 0.010 0.100 ND Pas Pyrethrins 0.010 0.050 ND Pas Spinosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.200 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Myclobutanil	0.010	0.000	ND	Pass
Pyrethrins 0.010 0.050 ND Pas Spinosad 0.010 0.020 ND Pas Spirotetramat 0.010 0.200 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Paclobutrazol	0.010	0.000	ND	Pass
Spinosad 0.010 0.020 ND Pass Spirotetramat 0.010 0.200 ND Pass Thiamethoxam 0.010 0.020 ND Pass	Piperonyl Butoxide	0.010	0.100	ND	Pass
Spirotetramat 0.010 0.200 ND Pas Thiamethoxam 0.010 0.020 ND Pas	Pyrethrins	0.010	0.050	ND	Pass
Thiamethoxam 0.010 0.020 ND Pas	Spinosad	0.010	0.020	ND	Pass
	Spirotetramat	0.010	0.200	ND	Pass
	Thiamethoxam	0.010	0.020	ND	Pass
Trifloxystrobin 0.010 0.010 ND Pas	Trifloxystrobin	0.010	0.010	ND	Pass

 ${\sf LOQ}$ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Heavy Metals				Pass
Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.04	0.42	ND	Pass
Cadmium	0.04	0.27	ND	Pass
Lead	0.04	0.87	0.05	Pass
Mercury	0.04	0.87	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Complete
11.2%
Moisture
(SOP 205)

Complete

0.47 aw
Water Activity

Microbials			Pass
Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Aerobic Bacteria	100000	ND	Pass
Bile-Tolerant Gram-Negative Bacteria	1000	ND	Pass
Coliforms	1000	ND	Pass
E. Coli	0	ND	Pass
Salmonella	0	ND	Pass
Yeast & Mold	10000	195	Pass

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory

Residual Solvents			Not Tested	
Analyte	LOQ	Limit	Mass	Status

Mycotoxins			Pass
Analyte	LOQ	Limit	Mass Status
	PPB	PPB	PPB
B1	0.1		ND Tested
B2	0.1		ND Tested
G1	0.1		ND Tested
G2	0.1		ND Tested
Ochratoxin A	0.1	20.0	ND Pass
Total Aflatoxins	0.1	20.0	ND Pass

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

ACT Laboratories (OH) (Lic. #MMCPL00011) 1706 Woodville Rd

Toledo, OH (517) 227-1338

www.actlaboratoriesinc.com

AugBu

Ashley Pohlod Laboratory Manager Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Sample selection completed according to SOP 204. This product has been tested by ACT Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.