

Standard Wellness

105 Commerce Drive
Gibsonburg, OH 43431
info@standardwellness.com

Lic. #MMCPP00009

Sample: 2010ACTOH0660.2780

Strain: Mello bar 40 mg
Batch#: ; Batch Size: 127.6 g
Sample Received: 10/19/2020; Report Created: 10/26/2020

M00000054012: Mello bar 40 mg

Ingestible, Other, Other
METRC Batch: 1A4070100001069000015677; METRC Sample: 1A4070100001069000015690; METRC Manifest: 0000112217



Cannabinoids (SOP 801)

Complete

| Analyte | LOQ | Mass |
|---------|-------|-------|
| | mg/g | mg/g |
| CBDVa | 0.125 | ND |
| CBDV | 0.125 | ND |
| CBDa | 0.125 | ND |
| CBGa | 0.125 | ND |
| CBG | 0.125 | ND |
| CBD | 0.125 | ND |
| THCV | 0.125 | ND |
| THCVa | 0.125 | ND |
| CBN | 0.125 | ND |
| CBNa | 0.125 | ND |
| Δ9-THC | 0.125 | 1.330 |
| Δ8-THC | 0.125 | ND |
| CBL | 0.125 | ND |
| CBC | 0.125 | ND |
| THCa | 0.125 | ND |
| CBCa | 0.125 | ND |

Terpenes (SOP 602)

| | | |
|--|--|--|
| | | |
|--|--|--|

Analyte LOQ Mass Mass Analyte LOQ Mass Mass

1.330 mg/g
Total THC

ND
Total CBD

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD
LOQ = Limit of Quantitation; Cannabinoid potency values are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. The results are the average of the initial results and five replicates that confirmed the initial results.

Safety

| | | |
|--|--|--|
| Pass Pesticides (SOP 804) | Pass Microbials (SOP 401) | Pass Mycotoxins (SOP 804) |
| Pass Solvents (SOP 601) | Pass Foreign Matter (SOP 203) | Pass Heavy Metals (SOP 902) |



Standard Wellness

105 Commerce Drive
Gibsonburg, OH 43431
info@standardwellness.com

Lic. #MMCPP00009

Sample: 2010ACTOH0660.2780

Strain: Mello bar 40 mg
Batch#: ; Batch Size: 127.6 g
Sample Received: 10/19/2020; Report Created: 10/26/2020

M00000054012: Mello bar 40 mg

Ingestible, Other, Other
METRC Batch: 1A4070100001069000015677; METRC Sample: 1A4070100001069000015690; METRC Manifest: 0000112217



Pesticides

Pass

| Analyte | LOQ | Limit | Mass | Status |
|--------------------|-------|-------|------|--------|
| | PPM | PPM | PPM | |
| Abamectin | 0.010 | 0.000 | ND | Pass |
| Aldicarb | 0.010 | 0.000 | ND | Pass |
| Bifenazate | 0.010 | 0.100 | ND | Pass |
| Cyfluthrin | 0.010 | 0.010 | ND | Pass |
| Daminozide | 0.100 | 0.000 | ND | Pass |
| Diazinon | 0.010 | 0.000 | ND | Pass |
| Dichlorvos | 0.050 | 0.000 | ND | Pass |
| Dimethoate | 0.010 | 0.000 | ND | Pass |
| Etoxazole | 0.010 | 0.000 | ND | Pass |
| Fonicamid | 0.010 | 0.150 | ND | Pass |
| Fludioxonil | 0.010 | 0.010 | ND | Pass |
| Imidacloprid | 0.010 | 0.000 | ND | Pass |
| Myclobutanil | 0.010 | 0.000 | ND | Pass |
| Paclobutrazol | 0.010 | 0.000 | ND | Pass |
| Piperonyl Butoxide | 0.010 | 0.100 | ND | Pass |
| Pyrethrins | 0.010 | 0.050 | ND | Pass |
| Spinosad | 0.010 | 0.020 | ND | Pass |
| Spirotetramat | 0.010 | 0.200 | ND | Pass |
| Thiamethoxam | 0.010 | 0.020 | ND | Pass |
| Trifloxystrobin | 0.010 | 0.010 | ND | Pass |

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Heavy Metals

Pass

| Analyte | LOQ | Limit | Mass | Status |
|---------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Arsenic | 0.04 | 0.42 | 0.04 | Pass |
| Cadmium | 0.04 | 0.27 | ND | Pass |
| Lead | 0.04 | 0.87 | ND | Pass |
| Mercury | 0.04 | 0.87 | ND | Pass |

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Not Tested
NT
Moisture
(SOP 205)

Not Tested
NT
Water Activity
(SOP 206)

Microbials

Pass

| Analyte | Limit | Mass | Status |
|--------------------------------------|--------|-------|--------|
| | CFU/g | CFU/g | |
| Aerobic Bacteria | 100000 | ND | Pass |
| Bile-Tolerant Gram-Negative Bacteria | 1000 | ND | Pass |
| Coliforms | 1000 | ND | Pass |
| E. Coli | 0 | ND | Pass |
| Salmonella | 0 | ND | Pass |
| Yeast & Mold | 10000 | ND | Pass |

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory

Residual Solvents

Pass

| Analyte | LOQ | Limit | Mass | Status |
|-------------|-----|-------|------|--------|
| | PPM | PPM | PPM | |
| Acetone | 10 | 5000 | ND | Pass |
| Benzene | 10 | 2 | ND | Pass |
| Butanes | 10 | 5000 | ND | Pass |
| Ethanol | 10 | 5000 | ND | Pass |
| Heptane | 10 | 5000 | ND | Pass |
| Isobutane | 10 | 5000 | ND | Pass |
| Isopropanol | 10 | 5000 | ND | Pass |
| n-Hexane | 10 | 290 | ND | Pass |
| Pentane | 10 | 5000 | ND | Pass |
| Propane | 10 | 5000 | ND | Pass |
| Toluene | 10 | 890 | ND | Pass |
| Xylenes | 10 | 2170 | ND | Pass |

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Mycotoxins

Pass

| Analyte | LOQ | Limit | Mass | Status |
|------------------|-----|-------|------|--------|
| | PPB | PPB | PPB | |
| B1 | 0.1 | | ND | Tested |
| B2 | 0.1 | | ND | Tested |
| G1 | 0.1 | | ND | Tested |
| G2 | 0.1 | | ND | Tested |
| Ochratoxin A | 0.1 | 20.0 | ND | Pass |
| Total Aflatoxins | 0.1 | 20.0 | ND | Pass |

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

ACT Laboratories (OH) (Lic. #MMCPLO0011)
1706 Woodville Rd
Toledo, OH
(517) 227-1338
www.actlaboratoriesinc.com

Ashley Pohl
Ashley Pohl
Laboratory Manager

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Sample selection completed according to SOP 204. This product has been tested by ACT Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.