

# **Certificate of Analysis**

Powered by Confident Cannabis 1 of 2

## Standard Wellness

105 Commerce Drive Gibsonburg, OH 43431 info@standardwellness.com Sample: 2009ACTOH0611.2564

Strain: Old Dirty Bastard Batch#: ; Batch Size: 10.5 g

Sample Received: 09/30/2020; Report Created: 10/02/2020

Lic. #MMCPC00020

### M00000032821: ODB Trim

Plant, Trim, Other

METRC Batch: 1A40701000005DD000005246; METRC Sample: 1A40701000005DD000005249; METRC Manifest: 0000104927





## Terpenes (SOP 602)







Analyte	LOQ	Mass	Mass	Analyte	LOQ	Mass	Mass
	PPM	PPM	mg/g		PPM	PPM	mg/g
δ-Limonene		1682.10	1.68	Eucalyptol	200.00	ND	ND
β-Caryophyllene		1358.56	1.36	Fenchol	200.00	ND	ND
cis-Nerolidol	200.00	1162.84	1.16	Fenchone	200.00	ND	ND
β-Myrcene	200.00	1035.02	1.04	y-Terpinene	200.00	ND	ND
Linalool	200.00	583.66	0.58	Geraniol	200.00	ND	ND
α-Bisabolol	200.00	ND	ND	Geranyl Acetate	200.00	ND	ND
α-Cedrene	200.00	ND	ND	Guaiol	200.00	ND	ND
α-Humulene	200.00	ND	ND	Isoborneol	200.00	ND	ND
α-Phellandrene	200.00	ND	ND	Isopulegol	200.00	ND	ND
α-Pinene	200.00	ND	ND	Menthol	200.00	ND	ND
α-Terpinene	200.00	ND	ND	Nerol	200.00	ND	ND
α-Terpineol	200.00	ND	ND	Ocimene	200.00	ND	ND
β-Pinene	200.00	ND	ND	Pulegone	200.00	ND	ND
Borneol	200.00	ND	ND	p-Cymene	200.00	ND	ND
Camphene	200.00	ND	ND	Sabinene	200.00	ND	ND
Camphor	200.00	ND	ND	Sabinene Hydrate	200.00	ND	ND
Caryophyllene	200.00	ND	ND	Terpinolene	200.00	ND	ND
Oxide	200.00	ND	שאו	trans-Nerolidol	200.00	ND	ND
Cedrol	200.00	ND	ND	Valencene	200.00	ND	ND
δ-3-Carene	200.00	ND	ND				

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Terpene analysis result is an estimate as the sample response is typically outside the standard curve linear response.

Cannabin	oids (SOP 801)		Complete
Analyte	LOQ	Mass	
	%	%	
CBDVa	0.125	ND	
CBDV	0.125	ND	
CBDa	0.125	ND	
CBGa	0.125	ND	
CBG	0.125	ND	
CBD	0.125	ND	
THCV	0.125	ND	
THCVa	0.125	ND	
CBN	0.125	ND	
CBNa	0.125	ND	
Δ9-THC	0.125	1.213	
Δ8-THC	0.125	ND	
CBL	0.125	ND	
CBC	0.125	ND	
THCa	0.125	13.172	
CBCa	0.125	ND	

12.764% ND

Total THC Total CBD

Total THC = THCa \* 0.877 + â^+9-THC; Total CBD = CBDa \* 0.877 + CBD LOQ = Limit of Quantitation; Cannabinoid potency values are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

## Safety

Pass
Pesticides
(SOP 804)

Pass Microbials

Mycotoxins
(SOP 804)

Pass

**Pass** 

Not Tested Solvents Pass
Foreign Matter
(SOP 2003)

Heavy Metals

ACT Laboratories (OH) (Lic. #MMCPL00011) 1706 Woodville Rd Toledo, OH

www.actlaboratoriesinc.com

(517) 227-1338

Augkrul

Ashley Pohlod Laboratory Manager Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Sample selection completed according to SOP 204. This product has been tested by ACT Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.



# Certificate of Analysis

Powered by Confident Cannabis 2 of 2

## Standard Wellness

105 Commerce Drive Gibsonburg, OH 43431 info@standardwellness.com Sample: 2009ACTOH0611.2564

Strain: Old Dirty Bastard Batch#: ; Batch Size: 10.5 g

Sample Received: 09/30/2020; Report Created: 10/02/2020

Lic. #MMCPC00020

#### M00000032821: ODB Trim

Plant, Trim, Other

METRC Batch: 1A40701000005DD000005246; METRC Sample: 1A4070100005DD000005249; METRC Manifest: 0000104927



PPM	Pesticides				Pass
Abamectin         0.010         0.000         ND         Pass           Aldicarb         0.010         0.000         ND         Pass           Bifenazate         0.010         0.100         ND         Pass           Cyfluthrin         0.010         0.010         ND         Pass           Daminozide         0.100         0.000         ND         Pass           Diazinon         0.010         0.000         ND         Pass           Dichlorvos         0.050         0.000         ND         Pass           Dimethoate         0.010         0.000         ND         Pass           Etoxazole         0.010         0.000         ND         Pass           Fludioxonil         0.010         0.010         ND         Pass           Fludioxonil         0.010         0.000         ND         Pass           Myclobutanil         0.010         0.000         ND         Pass           Myclobutanil         0.010         0.000         ND         Pass           Piperonyl Butoxide         0.010         0.000         ND         Pass           Spinosad         0.010         0.020         ND         Pass	Analyte	LOQ	Limit	Mass	Status
Aldicarb         0.010         0.000         ND         Passifenazate           Gyfluthrin         0.010         0.010         ND         Passifenazate           Cyfluthrin         0.010         0.010         ND         Passifenazate           Diazinon         0.100         0.000         ND         Passifenazate           Diazinon         0.010         0.000         ND         Passifenazate           Dichlorvos         0.050         0.000         ND         Passifenazate           Dimethoate         0.010         0.000         ND         Passifenazate           Eloxazole         0.010         0.000         ND         Passifenazate           Flonicamid         0.010         0.010         ND         Passifenazate           Fludioxonil         0.010         0.010         ND         Passifenazate           Myclobutanil         0.010         0.000         ND         Passifenazate           Paclobutrazol         0.010         0.000         ND         Passifenazate           Piperonyl Butoxide         0.010         0.000         ND         Passifenazate           Spinosad         0.010         0.020         ND         Passifenazate           Sp		PPM	PPM	PPM	
Bifenazate         0.010         0.100         ND         Pas           Cyfluthrin         0.010         0.010         ND         Pas           Daminozide         0.100         0.000         ND         Pas           Diazinon         0.010         0.000         ND         Pas           Dichlorvos         0.050         0.000         ND         Pas           Dimethoate         0.010         0.000         ND         Pas           Etoxazole         0.010         0.000         ND         Pas           Flonicamid         0.010         0.150         ND         Pas           Fludioxonil         0.010         0.010         ND         Pas           Myclobutanil         0.010         0.000         ND         Pas           Paclobutrazol         0.010         0.000         ND         Pas           Piperonyl Butoxide         0.010         0.000         ND         Pas           Spinosad         0.010         0.020         ND         Pas           Spirotetramat         0.010         0.020         ND         Pas           Thiamethoxam         0.010         0.020         ND         Pas	Abamectin	0.010	0.000	ND	Pass
Cyfluthrin         0.010         0.010         ND         Pas           Daminozide         0.100         0.000         ND         Pas           Diazinon         0.010         0.000         ND         Pas           Dichlorvos         0.050         0.000         ND         Pas           Dimethoate         0.010         0.000         ND         Pas           Etoxazole         0.010         0.000         ND         Pas           Flonicamid         0.010         0.150         ND         Pas           Fludioxonil         0.010         0.010         ND         Pas           Myclobutanil         0.010         0.000         ND         Pas           Myclobutanil         0.010         0.000         ND         Pas           Piperonyl Butoxide         0.010         0.000         ND         Pas           Spirosad         0.010         0.020         ND         Pas           Spirotetramat         0.010         0.020         ND         Pas           Thiamethoxam         0.010         0.020         ND         Pas	Aldicarb	0.010	0.000	ND	Pass
Daminozide         0.100         0.000         ND         Pas           Diazinon         0.010         0.000         ND         Pas           Dichlorvos         0.050         0.000         ND         Pas           Dimethoate         0.010         0.000         ND         Pas           Etoxazole         0.010         0.000         ND         Pas           Flonicamid         0.010         0.150         ND         Pas           Fludioxonil         0.010         0.010         ND         Pas           Myclobutanil         0.010         0.000         ND         Pas           Myclobutanil         0.010         0.000         ND         Pas           Piperonyl Butoxide         0.010         0.000         ND         Pas           Pyrethrins         0.010         0.050         ND         Pas           Spinosad         0.010         0.020         ND         Pas           Spirotetramat         0.010         0.020         ND         Pas           Thiamethoxam         0.010         0.020         ND         Pas	Bifenazate	0.010	0.100	ND	Pass
Diazinon         0.010         0.000         ND         Pas           Dichlorvos         0.050         0.000         ND         Pas           Dimethoate         0.010         0.000         ND         Pas           Etoxazole         0.010         0.000         ND         Pas           Flonicamid         0.010         0.150         ND         Pas           Fludioxonil         0.010         0.010         ND         Pas           Imidacloprid         0.010         0.000         ND         Pas           Myclobutanil         0.010         0.000         ND         Pas           Paclobutrazol         0.010         0.000         ND         Pas           Piperonyl Butoxide         0.010         0.100         ND         Pas           Spirosad         0.010         0.020         ND         Pas           Spirotetramat         0.010         0.200         ND         Pas           Thiamethoxam         0.010         0.020         ND         Pas	Cyfluthrin	0.010	0.010	ND	Pass
Dichlorvos         0.050         0.000         ND         Pas           Dimethoate         0.010         0.000         ND         Pas           Etoxazole         0.010         0.000         ND         Pas           Flonicamid         0.010         0.150         ND         Pas           Fludioxonil         0.010         0.010         ND         Pas           Imidacloprid         0.010         0.000         ND         Pas           Myclobutanil         0.010         0.000         ND         Pas           Paclobutrazol         0.010         0.000         ND         Pas           Piperonyl Butoxide         0.010         0.100         ND         Pas           Spirosad         0.010         0.050         ND         Pas           Spirotetramat         0.010         0.200         ND         Pas           Thiamethoxam         0.010         0.020         ND         Pas	Daminozide	0.100	0.000	ND	Pass
Dimethoate         0.010         0.000         ND         Past Etoxazole           Etoxazole         0.010         0.000         ND         Past Etoxazole           Flonicamid         0.010         0.010         ND         Past Etoxazole           Fludioxonil         0.010         0.010         ND         Past Etoxazole           Myclobutanil         0.010         0.000         ND         Past Past Etoxazole           Paclobutrazol         0.010         0.000         ND         Past Past Past Past Past Past Past Past	Diazinon	0.010	0.000	ND	Pass
Etoxazole         0.010         0.000         ND         Pas           Flonicamid         0.010         0.150         ND         Pas           Fludioxonil         0.010         0.010         ND         Pas           Imidacloprid         0.010         0.000         ND         Pas           Myclobutanil         0.010         0.000         ND         Pas           Paclobutrazol         0.010         0.000         ND         Pas           Piperonyl Butoxide         0.010         0.100         ND         Pas           Pyrethrins         0.010         0.050         ND         Pas           Spinosad         0.010         0.020         ND         Pas           Spirotetramat         0.010         0.200         ND         Pas           Thiamethoxam         0.010         0.020         ND         Pas	Dichlorvos	0.050	0.000	ND	Pass
Flonicamid   0.010   0.150   ND   Past   Fludioxonil   0.010   0.010   ND   Past   Imidacloprid   0.010   0.000   ND   Past   Myclobutanil   0.010   0.000   ND   Past   Paclobutrazol   0.010   0.000   ND   Past   Piperonyl Butoxide   0.010   0.100   ND   Past   Pyrethrins   0.010   0.050   ND   Past   Spinosad   0.010   0.020   ND   Past   Spirotetramat   0.010   0.200   ND   Past   Past	Dimethoate	0.010	0.000	ND	Pass
Fludioxonil         0.010         0.010         ND         Past Imidacloprid           Imidacloprid         0.010         0.000         ND         Past Myclobutanil           Myclobutanil         0.010         0.000         ND         Past Past Past Past Past Past Past Past	Etoxazole	0.010	0.000	ND	Pass
Imidacloprid	Flonicamid	0.010	0.150	ND	Pass
Myclobutanil         0.010         0.000         ND         Pas           Paclobutrazol         0.010         0.000         ND         Pas           Piperonyl Butoxide         0.010         0.100         ND         Pas           Pyrethrins         0.010         0.050         ND         Pas           Spinosad         0.010         0.020         ND         Pas           Spirotetramat         0.010         0.200         ND         Pas           Thiamethoxam         0.010         0.020         ND         Pas	Fludioxonil	0.010	0.010	ND	Pass
Paclobutrazol         0.010         0.000         ND         Pac           Piperonyl Butoxide         0.010         0.100         ND         Pac           Pyrethrins         0.010         0.050         ND         Pac           Spinosad         0.010         0.020         ND         Pac           Spirotetramat         0.010         0.200         ND         Pac           Thiamethoxam         0.010         0.020         ND         Pac	Imidacloprid	0.010	0.000	ND	Pass
Piperonyl Butoxide         0.010         0.100         ND         Pas           Pyrethrins         0.010         0.050         ND         Pas           Spinosad         0.010         0.020         ND         Pas           Spirotetramat         0.010         0.200         ND         Pas           Thiamethoxam         0.010         0.020         ND         Pas	Myclobutanil	0.010	0.000	ND	Pass
Pyrethrins         0.010         0.050         ND         Pas           Spinosad         0.010         0.020         ND         Pas           Spirotetramat         0.010         0.200         ND         Pas           Thiamethoxam         0.010         0.020         ND         Pas	Paclobutrazol	0.010	0.000	ND	Pass
Spinosad         0.010         0.020         ND         Pass           Spirotetramat         0.010         0.200         ND         Pass           Thiamethoxam         0.010         0.020         ND         Pass	Piperonyl Butoxide	0.010	0.100	ND	Pass
Spirotetramat         0.010         0.200         ND         Pas           Thiamethoxam         0.010         0.020         ND         Pas	Pyrethrins	0.010	0.050	ND	Pass
Thiamethoxam 0.010 0.020 ND Pas	Spinosad	0.010	0.020	ND	Pass
	Spirotetramat	0.010	0.200	ND	Pass
	Thiamethoxam	0.010	0.020	ND	Pass
Trifloxystrobin 0.010 0.010 ND Pas	Trifloxystrobin	0.010	0.010	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the
applicable moisture content for that sample; Unless otherwise stated all quality control
samples performed within specifications established by the Laboratory.

Heavy Metals				Pass
Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.04	0.42	ND	Pass
Cadmium	0.04	0.27	ND	Pass
Lead	0.04	0.87	0.06	Pass
Mercury	0.04	0.87	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Complete
10.9%
Moisture
(SOP 205)

Complete

0.56 aw
Water Activity

Microbials			Pass
Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Aerobic Bacteria	100000	773	Pass
Bile-Tolerant Gram-Negative Bacteria	1000	ND	Pass
Coliforms	1000	ND	Pass
E. Coli	0	ND	Pass
Salmonella	0	ND	Pass
Yeast & Mold	10000	343	Pass

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory

Residual Solvents			Not Tested		
Analyte	LOQ	Limit	Mass	Status	

Mycotoxins			Pass
Analyte	LOQ	Limit	Mass Status
	PPB	PPB	PPB
B1	0.1		ND Tested
B2	0.1		ND Tested
G1	0.1		ND Tested
G2	0.1		ND Tested
Ochratoxin A	0.1	20.0	ND Pass
Total Aflatoxins	0.1	20.0	ND Pass

 $LOQ = Limit \ of \ Quantitation; \ Unless \ otherwise \ stated \ all \ quality \ control \ samples \ performed \ within \ specifications \ established \ by \ the \ Laboratory.$ 

ACT Laboratories (OH) (Lic. #MMCPL00011) 1706 Woodville Rd

Toledo, OH (517) 227-1338

www.actlaboratoriesinc.com

AugBul

Ashley Pohlod Laboratory Manager Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Sample selection completed according to SOP 204. This product has been tested by ACT Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.